



# Technical manual

**Model Year:** **MY17**

**Purpose:** **FOR GIANT DEALERS ONLY**

# CONTENTS

---

<b>1.</b>	<b>New! Parts Catalogue.....</b>	<b>3</b>
1.1	Frame protectors.....	3
1.2	Cable routing kits .....	6
1.3	Seatpost & seatpost kits .....	7
1.4	MY17/ MY16 Contact SL Switch seatpost .....	10
1.5	Di2 battery holder set .....	11
1.6	Brake parts .....	15
1.7	MY 17 FD TYPE .....	16
1.8	Others Accessories.....	17
1.9	Replaceable Dropout / Derailleur Hanger .....	18
<b>NEW! MY17 Axle position adjustment: .....</b>		<b>20</b>
1.10	Giant Thru-axle .....	21
1.11	MY17 TCR Adv (Pro) Disc & Adv SL Disc-Mechanical .....	22
1.12	MY17 TCR Adv (Pro) Disc & Adv SL Disc-Di2 .....	23
1.13	MY17 Defy Adv (Pro) & Adv SL Mech. Shifting .....	24
1.14	MY17 Defy /Avail Adv (Pro) & Adv SL Di2 .....	25
1.15	MY17 TCR SLR Alux - Mechanical Shifting .....	26
1.16	MY17 Contend DISC - Mechanical Shifting .....	27
1.17	MY17 Contend SL - Mechanical Shifting.....	28
1.18	MY17 Contend - Mechanical Shifting.....	29
1.19	MY17 TCX Adv - Mechanical Shifting .....	30
1.20	MY17 TCX Adv - Di2 .....	31
1.21	MY17 TCX /Brava SLR - Mechanical shifting .....	32
1.22	MY17 TCX SLR - Di2.....	33
1.23	MY17/ MY16 TCR Adv(Pro) & Adv SL - Mechanical.....	34
1.24	MY17/ MY16 Avow ADV Pro Handlebar parts combination chart.....	36
1.25	MY17/ MY16 Trinity ADV Pro Cockpit Parts Assembly Chart.....	37
<b>2.</b>	<b>Cable routing path .....</b>	<b>38</b>
2.1.	MY17 Anthem / Trance / Pique / Hail cable routing .....	38
2.2.	MY17 Anthem ADV / Trance ADV / Pique ADV / Hail ADV cable routing .....	39
2.3.	MY17 XtC 27.5+ / 29 cable routing.....	40
2.4.	MY17 Fathom cable routing.....	41
2.5.	MY17 Fathom 29 cable routing .....	42
2.6.	MY17/ MY16 Avow Advance Pro .....	43
2.7.	MY17/ MY16 Trinity Advanced Pro .....	44
<b>3.</b>	<b>Rear Frame Linkages Parts BOM.....</b>	<b>47</b>
3.1.	MY17 Embolden .....	47

3.2.	<b>MY17 Stance .....</b>	48
3.3.	<b>MY17 Reign .....</b>	49
3.4.	<b>MY17 Trance .....</b>	50
3.5.	<b>MY17 Trance Advance .....</b>	51
3.6.	<b>MY17 Hail.....</b>	52
3.7.	<b>MY17 Hail ADV.....</b>	53
3.8.	<b>MY17 Anthem.....</b>	54
3.8.	<b>MY17 Anthem Adv .....</b>	55
3.9.	<b>MY17 Anthem X 29er .....</b>	56
3.10.	<b>MY17 Anthem X Adv 29er.....</b>	57
3.11.	<b>MY17 Glory.....</b>	58
3.12	<b>MY17 Glory Adv .....</b>	59
3.13.	<b>MY17 Pique .....</b>	60
3.14.	<b>MY17 Pique .....</b>	61
3.15.	<b>MY17 Pique Adv .....</b>	62


# 1. New! Parts Catalogue

## 1.1 Frame protectors

**Down tube protector:**

To provide excellent protection of frame finish during all mountain riding.

Part#
3G9-4014-1



**Compatible with:**

MY17	Anthem ADV / Trance ADV
------	-------------------------

**Down tube protector:**

To provide excellent protection of frame finish during all mountain riding.

Part#
3G9-4015-1


**Compatible with:**

MY17	Pique ADV / Hail ADV
------	----------------------

**Down tube protector:**

To provide excellent protection of frame finish during all mountain riding.

Part#
1175-G33007-01P


**Compatible with:**

MY17	XtC ADV 27.5 + / 29
------	---------------------

**Down tube protector:**

To provide excellent protection of frame finish during all mountain riding.

Part#
3G9-4003-1



**Compatible with:**

MY17/MY16/MY15	Reign ADV 27.5/Reign 27.5
----------------	---------------------------

**Down tube protector:**

Provide additional protection to the down tube for preventing paint crack from severe downhill riding.

Part#
3G9-4004-1


**Compatible with:**

MY17/ MY16/ MY15	Glory ADV 27.5/ Glory 27.5
------------------	----------------------------

**Down tube protector:**

Part#
3G9-4001-1


**Compatible with:**

MY17/ MY16/ MY15	Anthem ADV 27.5/ Lust ADV 27.5/ Trance ADV27.5
------------------	--

**Chain stay protector:**


Prevent paint damaged from chain hitting chain stay under severe all terrain riding.

Part#

3G9-6038-1

**Compatible with:**

MY17	Anthem / Anthem ADV / Trance / Trance ADV
------	---


**Chain stay protector:**


Prevent paint damaged from chain hitting chain stay under severe all terrain riding.

Part#

3G9-6039-1

**Compatible with:**

MY17	Pique / Pique ADV/ Hail / Hail ADV
------	------------------------------------


**Chain stay protector:**


Prevent paint damaged from chain hitting chain stay under severe all terrain riding.

Part#

1175-G33007-02P

**Compatible with:**

MY17	XtC ADV 27.5 + / 29
------	---------------------


**Chain stay protector:**

Prevent paint damaged from chain hitting chain stay under severe all terrain riding.

Part#

1830-VLF255-601

**Compatible with:**

MY17/MY16	Tough Road
-----------	------------


**Chain stay protector:**

Prevent paint damaged from chain hitting chain stay under multi-terrain riding.

Part#

3G9-6008-1

**Compatible with:**

MY17/MY16	Rapid
-----------	-------


**Chain stay protector:**


Prevent paint damaged from chain hitting chain stay under severe all mountain riding.

Part#

3G9-6005-1

**Compatible with:**


MY17/MY16/MY15	Reign ADV 27.5/Reign 27.5
----------------	---------------------------



**Chain stay protector:**

Prevent paint damaged from chain hitting chain stay under severe downhill riding.

Part#
3G9-6006-1


**Compatible with:**

MY17/MY16/MY15 Glory ADV 27.5/ Glory 27.5

**Seat stay protector:**

Provide additional protection to the seat stay for preventing paint crack from severe downhill riding..

Part#
3G9-5001-1


**Compatible with:**

MY17 Anthem / Anthem ADV /Trance / Trance ADV  
/ Pique / Pique ADV / Hail / Hail ADV

**BB CS cover:**

Prevent paint damaged from chain hitting chain stay under severe all terrain riding.

Part#
1471-TRINTY-601



**Compatible with:**

MY17/MY16 Trinity Adv Pro / Avow Adv Pro

**Brake Cover:**

TKB164 L&R PLASTIC SIDE COVER (FAIRING)

Part#	Notes
1471-TKB164-601	L&R PLASTIC SIDE COVER W/BOTL



**Compatible with:**

MY17/MY16 Trinity Adv Pro / Avow Adv Pro

**Cable plug:**

Provide additional protection to the seat stay for preventing paint crack from severe downhill riding..

Item	Name	Part#	Notes
1	Plug	1472-PLUGIN-404	One hole
2	Plug	1472-PLUGIN-402	Two holes
3	Plug	1472-PLUGIN-403	No hole
4	Plug	1472-PLUGIN-701	Three holes


**Compatible with:**

MY17 Anthem / Anthem ADV /Trance / Trance ADV  
/ Pique / Pique ADV / Hail / Hail ADV

**Fork bumper:**

The fork bumper can provide addition protection to the frame to prevent frame damaged.

Part#
1275-BUMPER-503


**Compatible with:**

MY17/MY16/MY15 Glory ADV 27.5/ Glory 27.5

## 1.2 Cable routing kits

### Jagwire undersized shifting cable adjuster:


Compare to Jagwire CM233 version, this undersized shifting cable adjuster (type: CM309) is designed for used on full series of Giant road bikes to provide sufficient adjustment arrange within smaller volume and lighter weight.

Part#

1639-CM309B-501

#### Compatible with:

MY17/MY16	AnyRoad/ Avail ADV/Defy ADV/Envie ADV/TCX
	PropelADV/ Contend SL/ Avow AD/ TCR ADV



### Integrated mechanical cable stop:


The integrated cable stop is an alloy stopper which allows mechanical shifting cable to pass through head tube for internal cable routing, which provides smooth and clean frame shape.

Part#

1472-CM311A-501

#### Compatible with:

MY17/MY16	Defy ADSL/ Defy ADV
MY17/MY16	Avail ADSL/Avail ADV



### Electronic shifting wire grommet:


This rubber grommet can fix electronic shifting wire when wire passing through frame to avoid the wire moved too freely.

Part#

1472-HTPLUG-501

#### Compatible with:


MY17/MY16	Defy ADSL/ Defy ADV
MY17/MY16	Avail ADSL/Avail ADV



## 1.3 Seatpost & seatpost kits

### Invisible seat clamp kit:

Part#	Item	Name
1722-SCS03X-02P	1	ISC cover
	2	ISC bolt
	3	ISC top
	4	ISC middle
	5	ISC bottom



### Compatible with:

MY17 | XTC ADV 27.5 + / 29

### Avow Seat clamp:


Invisible seat clamp make the frame design much clean.

#### Part#

1722-G16SC3-601

### Compatible with:

MY17/MY16 | Avow Adv(Pro)



### Trinity Seat clamp:


Invisible seat clamp make the frame design much clean.

#### Part#

1722-G16SC2-601

### Compatible with:

MY17/MY16 | Trinity Adv (PRO)



### New TCR ADV ISP Seat Post Head :

#### Part#

1725-G6SD01-601

### Compatible with:


MY17/MY16 | TCR Adv SL ISP



**Invisible seat clamp for D-Fuse:**  
Invisible seat clamp units with M5X30L bolt.

Part#
1722-GISC01-501


Compatible with:	
MY17/MY16	Defy AD (SL)/ Avail AD(SL)
MY17	Contend SL



**Invisible seat clamp kit:**  
Invisible seat clamp units with M6X25L bolt.

Part#
1729-SPLOCK-A01


Compatible with:	
MY17/ MY16/ MY15	AnyRoad



**Seat clamp for D-Fuse:**  
D-Fuse seat clamp with 2 pcs M5 M5X0.8X15L bolts.

Part#
1722-DFSC01-501

Compatible with:	
MY17/ MY16	Defy / Avail
MY17	Contend SL



**D-Fuse composite seatpost:**  
This D-Fuse seatpost provide more comfort for endurance ride.

Part#	Part Description
1721-G15SP1-502	D-Fuse Composite


Compatible with:	
MY17	TCX SLR (ADV)/ Fast Road CM (SLR)
	Brava SLR/ Defy ADV/ Contend SL
	Avail AD (SL) / AnyRoad



**D-Fuse ISP saddle clamp kit:**  
This D-Fuse saddle clamp kit is designed to use on Giant D-Fuse ISP frame to provide basic saddle clamping function and additional saddle height adjustment.

Part#	Part Description	Part Item
1725-G5SD01-501	D-Fuse ISP clamp set	①②③④⑤⑥⑦⑧
1729-G14SP1-002	Clamp& Bolt kit	①②③⑥⑦


Compatible with:	
MY17/ MY16	Defy ADSL / Avail ADSL



**Seat tube rubber seal for Propel & Envie:**

The rubber seal provide waterproof to prevent water entering into seat tube.

Part#
1724-SPSHIM-501


**Compatible with:**

MY17/MY16	Propel ADV/ Propel SLR/ Envie ADV
-----------	-----------------------------------

**Seat tube rubber seal for Defy Advanced / Avail Advanced:**

The rubber seal provide better sealing to prevent water entering into frame through seat tube.

Part#
1724-SPSHIM-502


**Compatible with:**

MY17/MY16	Defy ADV/ Avail ADV/ Tough Road SLR
MY17	Contend SL

**Seat tube rubber seal for TCX Advanced:**

The rubber seal provide better sealing to prevent water entering into frame through seat tube.

Part#
1724-SPSHIM-503



**Compatible with:**

MY17/ MY16	TCX ADV/ Brava SLR
------------	--------------------

**ISC Plug:**

VLD-208 MY16 TRI/AVOW ADV SEATPOST WATERPROOF RUBBER SEAL NBR BLK

Part#
1724-SPSHIM-603



**Compatible with:**

MY17/MY16	Trinity Adv( Pro )/ Avow Adv (Pro )
-----------	-------------------------------------

**ISC Plug:**

VLD-201 MY16 TCR ADV SEATPOST WATERPROOF RUBBER SEAL NBR BLK

Part#
1724-SPSHIM-602


**Compatible with:**

MY17/MY16	TCR ADV (Pro) & TCR ADV (PRO) DISC
-----------	------------------------------------

## 1.4 MY17/ MY16 Contact SL Switch seatpost

### DAMPER CARTRIDGE FOR MY17/ MY16 CONTACT SL SWITCH

Part#	Description
1729-CONTAC-603	3 <sup>rd</sup> Generation Cartridge-345MM
1729-CONTAC-604	3 <sup>rd</sup> Generation Cartridge-395MM
1729-CONTAC-605	3 <sup>rd</sup> Generation Cartridge-440MM



### SEATPOST HEAD CLAMP KITS FOR MY17/ MY16 CONTACT SL SWITCH

Part#	Description
1729-CONTAC-601	compatible with 7X7 & 7X9



### LOWER CAP KITS FOR MY17/ MY16 CONTACT SL SWITCH

Part#	Description
1729-CONTAC-602	Lower Cap set



### REMOTE KITS W/O OUTER CABLE

Part#	Description
1729-CONTAC-401	Include remote lever, cable barrel & cable, wire& connector

Compatible with:	
MY17/MY16/ MY15	Contact SL Switch seat post



## 1.5 Di2 battery holder set


### MY16 Trinity & Avow Adv Seat Post

TRI/AVOW AERO SP DI2 BATTERY HOLDER


**Part#**

1724-G16BTA-602

Top View



	Statement	Torque
MY17/MY16	TRI ADV PRO/ AVOW ADV PRO	1.5 N-m



Use double sided tape to stick A part on

**MY17/ MY16 TCR Variant Seat Post**


Battery Holder with 2 Slim rubbers Assembly method

Part#

1724-G16BTA-601



Bottom View



**TCR Adv SL ISP -Battery Holder**

with 2 slim rubbers -Assembly method


Part#

1724-G16BTA-601

	Statement	Torque
MY17/ MY16	NEW VECTOR AERO SP/ISP DI2 BATTERY HOLDER W/MANUAL	1.5 N-m



Top view



**Di2 battery holder set for Giant specified seat post:**






Design to mount Shimano SM-BTR2 built-in battery to Giant specified seat post.

Part#
2450-G15BTS-504

- Use of parts
  - ①+②+③+④
    - a. Vector seat post
    - b. ~ MY15 TCR Advanced SL ISP (Vector shape)
    - ~ MY14 Defy Advanced SL ISP (Vector shape)
    - c. MY15 Defy Advanced SL ISP (D shape)
  - ①+②+③+⑤
    - d. Propel Advanced SL ISP
  - ①+②+③
    - e. D-Fuse seat post

**Installation note:**

- Recommended tightening torque: 1.5Nm
- Always pre-assemble ①+②+③ before insert the holder kit into seat post. Don't fasten the bolt ① too tight before installation.
- When installing the holder, laying ISP frame or seat post helps installation process easier, and avoid battery fall into ISP frame or fall onto the ground. Use soft materials to protect frame or seat post when laying frame or the seat post from possible paint chipped or damaged.



**Di2 Battery parts for changing from external battery type to internal battery type:**

Below parts are for changing battery type from external to internal.

\*The Di2 software needs to be updated when done the battery change. Or the shifting will not function, indicator will show low battery.

Please find SHIMANO E-tube Project website for downloading the updated software. <http://e-tubeproject.shimano.com/>

Part#	Part Description
24515G90001A1	Di2 Internal battery set for changing from External to Internal type w/Seatpost internal Di2 battery holder set

\*This part#(24515G90001A1) include with below items.

Item	Part Description	Qty
Seat post internal Di2 battery holder set	SEATPOST INTERNAL DI2 BATTERY HOLDER SERVICE PARTS SET W/MANU	1
Battery	SM-BTR2 BUILT-IN TYPE BATTERY DI2 W/RECYCLE STICKERS,ADAPTER,SNAP RING AND WASHER	1
Wire Junction	SM-JC41 ELECTRIC WIRE JUNCTION, INTERNAL WIRE ROUTING(ULTEGRA DI2)	1
Controller	SM-EW90 DURA ACE DI2 FOR STANDARD HANDLE SPEC, NOT FOR FLIGHT DECK	1
Battery Charger	SM-BCR2 DI2 CHARGER FOR SM-BTR2 W/CHARGING CORD FOR USB	1
Electric Wire	EW-SD50 250MM BLK WO/ZIP TIE ULTEGRA DI2 ELECTRIC WIRE	1
Electric Wire	EW-SD50 300MM BLK WO/ZIP TIE ULTEGRA DI2 ELECTRIC WIRE	2
Electric Wire	EW-SD50 350MM BLK WO/ZIP TIE ULTEGRA DI2 ELECTRIC WIRE	2
Electric Wire	EW-SD50 750MM BLK WO/ZIP TIE ULTEGRA DI2 ELECTRIC WIRE	1
Electric Wire	EW-SD50 950MM BLK WO/ZIP TIE ULTEGRA DI2 ELECTRIC WIRE	1
Electric Wire	EW-SD50 1000MM BLK W/ZIP TIE ULTEGRA DI2 ELECTRIC WIRE	1

## 1.6 Brake parts

### Speed Control brake :

Speed Control series brake is designed for **Propel/ Envie** model to provide the aerodynamic and optimum performance.

Front Brake	Pivot Bolts	Rear Brake
1411-TKB163-601	Stainless Bolt, W/Pad (for Al Rim)	1421-TKB164-601
1411-TKB163-602	Stainless Bolt, W/Pad (for Carbon Rim)	1421-TKB164-602
1411-TKB165-601	STL Bolt, W/Pad (for Al Rim)	1421-TKB166-601
1411-TKB165-602	STL Bolt, W/Pad (for Carbon Rim)	1421-TKB166-602
1411-TKB165-603	STL Bolt, WO/Pad	1421-TKB166-603
1411-TKB167-601	Titanium Bolt, W/Pad (for Al Rim)	1421-TKB168-601
1411-TKB167-602	Titanium Bolt, W/Pad (for Carbon Rim)	1421-TKB168-602
1411-TKB167-603	Titanium Bolt, WO/Pad	1421-TKB168-603

### Speed Control brake pad shoes set:

Part#	Brake Pad shoes set
1471-TKBBRA-501	Cartridge set (TKB142/143/163/165/166) For Alu rim
1471-TKBBRA-502	Cartridge set (TKB148/149/163/167/168) For Alu rim



### Speed Control brake pad shoes set for Trinity brake set

Part#		Model
1471-TKBBRA-701	Cartridge set (TKB164 BRAKE) For Alu rim	Trinity ADV Pro rear brake
1471-TKBBRA-702	BRAKE PAD SETS(2 SETS FOR 1 BRAKE) For TKB84-1 BRAKE(For Alu rim)	Trinity ADV front brake

### Brake Pad for full carbon rim:

Part#	Brake Pad set
<b>290000000</b>	Brake Pad for full carbon rim


**\*Note: Above Brake Pad Part# is GBD part number.**

## 1.7 MY 17 FD TYPE

Model	FD	mount
XtC ADV 27.5+ / 29	Side swinging	High direct
Anthem 27.5 / Pique 27.5	Down swing (dull pull)	High direct
Anthem ADV 27.5 / Pique ADV 27.5	Side swinging	High direct
Trance 27.5 / Hail 27.5	Down swing (dull pull)	High direct
Trance ADV 27.5 / Hail ADV 27.5	Side swinging	High direct
Fathom 27.5 / 29	Down swing (dull pull)	Clamp (34.9)

**FD Adapter:**


Item	Name	Part#
1	Adapter	1643-WG6400-001
2	Bolt	2110-TL206C-004
3	Bolt	2110-TL206C-004
1, 2-1, 3, 4,	Complete kits	12817G90001A1


**Compatible with:**

MY17	Anthem ADV / Trance ADV / XtC ADV 29 / XTC ADV+ / Pique ADV / Hail ADV
------	--

**Plug without FD combination:**

Item	Name	Part#
1	Plug	134-FRAMER-203
2	Plug	134-FRAMER-203


**Compatible with:**

MY17	Anthem ADV / Trance ADV / XtC ADV 29 / Pique ADV / Hail ADV
------	---

**Cover without FD combination:**


Item	Name	Part#
1	Cover	1346-CPDDMA-401


**Compatible with:**

MY17	Anthem / Trance / Pique / Hail
------	--------------------------------

**Plug with FD combination:**

Item	Name	Part#
1	Stud cap	1472-CCN007-701
2	Stud cap (no FD)	1472-CCN009-S01


**Compatible with:**


MY17	XtC ADV 29
------	------------

## 1.8 Others Accessories

**DT Bottle:**

DOWNTUBE WATER BOTTLE W/CAGE FOR MY16 AVOW ADV

PRO , same as Trinity;



Part#	Compatible with:
1822-TRINTY-605	MY17 Trinity Adv Pro
1822-TRINTY-609	MY17 Avow Adv Pro

**Bento Box: TOP TUBE BENTO BOX FOR MY17 TRINITY ADV**

PRO/AVOW ADV PRO

Part#
1824-TRINTY-702



Compatible with:	
MY17	Trinity Adv Pro / Avow Adv Pro

**Water Bottle set: STEM WATER BOTTLE DECORATE, SPACER, OUTER CAP AND INNER CAPX2, STRAW HOLDER, STRAW, FIX SET AND CAGE**

Part#
1822-TRINTY-715
1822-TRINTY-716
1822-TRINTY-717
1822-TRINTY-718
1822-TRINTY-719
1822-TRINTY-720


**TCR ADV SL carbon headset cone spacer:**


New cone spacer is made by carbon material, whole headsets are lighter.

Part#
1310-NO54AA-601


**TEKTRO TR140-20 rotor:**

TEKTRO TR140-20 140mm rotor is a standard 6-bolt rotor designed for use of road disc brake.

Part#
147D-TR1402-501


**Compatible with:**

MY17/ MY16	Defy ADV/ Avail ADV/ TCX ADV PRO
MY17/ MY16	Thrive CM
MY17	Brava SLR


## 1.9 Replaceable Dropout / Derailleur Hanger

**Hanger:**

Part#	Item	Name	Notes
2124-NUTMC7-001	1	Nut	
1159-RE2700-001	2	Hanger	For Shimano direct mount RD only
1159-RE270A-001	2-1	Hanger	For Shimano/Sram traditional RD
2110-TL206C-004	3	Bolt	
2110-TL206C-004	4	Bolt	
1280GS804Y07C4	Complete kits ,consist of 1, 2-1, 3, 4,		

**Compatible with:**


MY17	Anthem / Anthem ADV / Trance / Trance ADV / Pique / Pique ADV / Hail / Hail ADV
------	---


**Through axle:**

Item	Name	Part#	Notes
1	Axle	1529-QR12AA-701	
1-1	Axle	1529-QR12AA-702	Only for XTC Adv 27.5+/29

**Compatible with:**


MY17	Anthem / Anthem ADV / Trance / Trance ADV / Pique / Pique ADV / Hail / Hail ADV
------	---



Part#	Item	Name	Q'ty
12817G90003A1	1	Brake mount	1
	2	RC-Adj bolt (M4)	1
	3	Dropout washer	2
	4	Dropout M6 bolt	2
1529-QR12AA-702	5	Axle	1
12817G90002A1	6	Hanger	1
	7	Dropout nut	1
	2	RC-Adj bolt (M4)	1
	4	Dropout M6 bolt	1

**Compatible with:**

MY17	XtC ADV 27.5 + / 29
------	---------------------



**5/135mm OLD replaceable Dropout / Derailleur Hanger kit:**

This kit is designed to easily convert your frame to be compatible with 5mm/135mm OLD close-type dropout system.

Part number	1280GS834609A1
-------------	----------------

**Compatible with:**

MY17/MY16	XtC ADV 27.5"/XtC 27.5"
MY17/MY16	Obsess ADV 27.5"




**12/142mm OLD replaceable Dropout / Derailleur Hanger kit:**

This kit is designed to easily convert your frame to be compatible with 12mm/142mm OLD close-type dropout system.

Part number
1280GS834609B1

**Compatible with:**

MY17/MY16	XtC ADV 27.5"/XtC SLR 27.5"
MY17/MY16	Anthem X Adv/29 Anthem X29


**Glory series 12/150mm OLD replaceable Dropout / Derailleur Hanger kit:**

This kit is designed to easily convert your frame to be compatible with 12mm/150mm OLD close-type dropout system on Glory ADV 27.5"/ Glory 27.5".

Part number
1280GS024512D8


**Compatible with:**

MY16	Glory ADV 27.5"/
MY17	Glory 27.5"




## NEW! MY17 Axle position adjustment:


**Step 1:**




**Step 2:**




**Step 3:**




**Step 3 checking:**




**Step 4:**



**Step 5:**




**Step 6:**



**Step 7 (optional):**

Re-adjust the brake (optional)



## 1.10 Giant Thru-axle


### Flat mount disc:

Part#	
1519-THRUAX-701	

Compatible with:	
MY17	TCR Disc/Defy/Avail/TCX/Brava

Description	Torque
GIANT THRU AXLE 100MM/O12MM 116.8MM ALLOY AXLE AND ALLOY LEVER	11 Nm

Front axle




### Flat mount disc:

Part#	
1529-THRUAX-701	

Compatible with:	
MY17	TCR Disc / Defy/ Avail/ TCX/ Brava

Description	Torque
GIANT THRU AXLE 142MM/O12MM 160.8MM ALLOY AXLE AND ALLOY LEVER	11 Nm

Rear axle




### Giant Thru-axe SL:


These light weight Thru-axle is specially design for Giant TCX/Brava series model.

QR	Part#	Axle Ø	O.L.D. Length	Material	
				Lever	Axle
Front	1519-SPOCGI-501	15mm	100mm	Carbon	Titanium
Front	1519-SPOCGI-502	15mm	100mm	Aluminum	Steel
Rear	1529-SPOCGI-501	5mm	135mm	Carbon	Titanium
Rear	1529-SPOCGI-502	5mm	135mm	Aluminum	Steel

Front QR :



Rear QR :



Step 1: Fasten lock nut onto dropout at right fork leg to hand tight.

Step 2: Fit lock nut bolt and fasten to the lock nut.


Tool: M2 Allen key

**NOTE:** Do not exceed the maximum torque: 1.5 Nm

Step 3: Install and fix the wheel.


- 1 Thread skewer through left dropout till touching right dropout.
- 2 Turn the Thru-axle lever clockwise to fasten the wheel. Refer Wheel section in the bicycle owner's manual.

## 1.11 MY17 TCR Adv (Pro) Disc & Adv SL Disc-Mechanical




No	Description	Part#	QTY	Torque
1	CM333 CABLE STOPPER NYLON W/1000MM PE HOSE FOR MECH DRL.(MY16 TCR ADV)	1472-CM333A-601	1	1.5Nm
2	OIL CABLE RUBBER BLK(NBR)	1472-OILRUB-401	1	
3	CAP FOR SEAT TUBE DI2 HOLE (WL-9202-6)	1346-WL9202-401	2	
4	WG34 34W FOR:50/34T A6066 BLK	1643-WG3400-01	1	
5	WG62 BB GUIDE FOR MY16 TCR ADV SL/TCR ADV W/ BOLT	1640-WG6200-601	1	
6	CM246B D6.5 DERAILLEUR CABLE STOPPER(C/S)	1630-CM246B-201	1	
7	RE266 A7005-T6 FOR MY17-TCR ADV PRO DISC	1159-RE2660-001	1	1.5Nm
8	BK INTERNAL CABLE PORT COVER ONE HOLE	1472-PLUGIN-404	1	
9	MY16 TCR ADV SEATPOST WATERPROOF RUBBER SEAL NBR BLK	1724-SPSHIM-602	1	
10	G16SC1 AL6061 BLK INTEGRATE SEAT CLAMP(3PCS) W/M5X35MM BOLT W/0.5MM	1722-G16SC1-601	1	7Nm
Di2 Upgrade parts [put in small box]				
A	CM332 CABLE STOPPER NYLON FOR Di2 DRL.(MY16 TCR ADV)	1472-CM332A-601	1	1.5Nm
B	GROMMET FOR EW-SD50, SM-GM02, (7X8MM), BULK	1472-GROMET-02	2	
C	CCG053N 8.5MMX17MM D2.8MM/3.7MM RUBBER	1471-CCG053-201	1	
D	RIDESENSOR PLUG CHAIN STAY IN PVC BAG	134-SENSOR-202	1	
E	NEW VECTOR AERO SP/ISP DI2 BATTERY HOLDER W/MANUAL(MY16 TCR ADV)	2450-G16BTA-601	1	

## 1.12 MY17 TCR Adv (Pro) Disc & Adv SL Disc-Di2



No	Description	Part#	QTY	Torque
1	CM332 CABLE STOPPER NYLON FOR Di2 DRL.(MY16 TCR ADV)	1472-CM332A-601	1	1.5Nm
2	OIL CABLE RUBBER BLK(NBR)	1472-OILRUB-401	1	
3	GROMMET FOR EW-SD50, SM-GM02, (7X8MM), BULK	1472-GROMET-02	2	
4	WG34 34W FOR:50/34T A6066 BLK	1643-WG3400-01	1	
5	WG62 BB GUIDE FOR MY16 TCR ADV SL/TCR ADV W/ BOLT	1640-WG6200-601	1	
6	CCG053N 8.5MMX17MM D2.8MM/3.7MM RUBBER	1471-CCG053-201	1	
7	RE266 A7005-T6 FOR MY17-TCR ADV PRO DISC	1159-RE2660-001	1	1.5Nm
8	BK INTERNAL CABLE PORT COVER ONE HOLE	1472-PLUGIN-404	1	
9	NEW VECTOR AERO SP/ISP DI2 BATTERY HOLDER W/MANUAL(MY16 TCR ADV)	2450-G16BTA-601	1	
10	MY16 TCR ADV SEATPOST WATERPROOF RUBBER SEAL NBR BLK	1724-SPSHIM-602	1	
11	G16SC1 AL6061 BLK INTEGRATE SEAT CLAMP(3PCS) W/M5X35MM BOLT W/0.5MM	1722-G16SC1-601	1	7Nm
Parts for mech. shifting [put in small box]				
A	CM333 CABLE STOPPER NYLON W/1000MM PE HOSE FOR MECH DRL.(MY16 TCR ADV)	1472-CM333A-601	1	1.5Nm
B	CAP FOR SEAT TUBE DI2 HOLE (WL-9202-6)	1346-WL9202-401	2	
C	CM246B D6.5 DERAILLEUR CABLE STOPPER(C/S)	1630-CM246B-201	1	
D	RIDESENSOR PLUG CHAIN STAY IN PVC BAG	134-SENSOR-202	1	

## 1.13 MY17 Defy Adv (Pro) & Adv SL Mech. Shifting




PS : D for ADV PRO, D-1 for ADV SL

No	Description	Part#	QTY	Torque
1	CM311 ALLOY CAP W/BLK INNER PIPE, BLK BOLT(GT)	1472-CM311A-501	1	1.5Nm
2	OIL CABLE RUBBERBLK(NBR)	1472-OILRUB-401	1	
3	CAP FOR SEAT TUBE DI2 HOLE (WL- 9202-6)	1346-WL9202-401	1	
4	G2WG01 BLK OD40 2- LINES+HOLE5.8WO/BOLTS+GIANT LG	1640-G2WG01-201	1	3Nm
5	BK INTERNAL CABLE PORTCOVER ONE HOLE	1472-PLUGIN-404	1	
6	CM246B D6.5 DERAILLEUR CABLE STOPPER(C/S)	1630-CM246B-201	1	
7	RE266 A7005-T6 FOR MY17- TCR ADV PRO DISC	1159-RE2660-001	1	1.5Nm
8	DEFY ADV 52X35 SEATPOST WATERPROOF RUBBER SEAL NBR BLK	1724-SPSHIM-502	1	

Parts for Di2 [put in small box]

A	DI2 HEAD TUBE PLUG NBR BLK	1472-HTPLUG-501	1	
B	GROMMET FOR EW-SD50, SM-GM02, (7X8MM), BULK	1472-GROMET-02	1	
C	RIDESENSOR PLUG CHAIN STAY IN PVC BAG	134-SENSOR-202	1	
D	D-FUSE(G14SP1) SEATPOST INTERNAL DI2 BATTERYHOLDER	2450-G15BTD-501	1	
D-1	VECTOR(G2SP04) ISP SEATPOST INTERNAL DI2 BATTERYHOLDER	2450-G15BTT-502	1	
E	RE266 A7005-T6 FOR MY17- TCR ADV PRO DISC	1159-RE2660-001	1	1.5Nm

## 1.14 MY17 Defy /Avail Adv (Pro) & Adv SL Di2




PS : 8 for ADV PRO, 8-1 for ADV SL

No	Description	Part#	QTY	Torque
1	DI2 HEAD TUBE PLUG NBR BLK	1472-HTPLUG-501	1	
2	OIL CABLE RUBBER BLK(NBR)	1472-OILRUB-401	1	
3	GROMMET FOR EW-SD50, SM-GM02, (7X8MM) BULK	1472-GROMET-02	1	
4	G2WG01 BLK OD40 2-LINES+HOLE5.8 WO/BOLTS+GIANT LG	1640-G2WG01-201	1	3Nm
5	BK INTERNAL CABLE PORT COVER ONE HOLE	1472-PLUGIN-404	1	
6	CCG053N 8.5MMX17MM D2.8MM/3.7MM RUBBER	1471-CCG053-201	1	
7	RE266 A7005-T6 FOR MY17-TCR ADV PRO DISC	1159-RE2660-001	1	1.5Nm
8	D-FUSE(G14SP1) SEATPOST INTERNAL DI2 BATTERY HOLDER	2450-G15BTD-501	1	
8-1	VECTOR(G2SP04) ISP SEATPOST INTERNAL DI2 BATTERY HOLDER	2450-G15BTT-502	1	
9	DEFY ADV 52X35 SEATPOST WATERPROOF RUBBER SEAL NBR BLK	1724-SPSHIM-502	1	

Parts for mech. shifting [put in small box]


A	CM311 ALLOY CAP W/BLK INNER PIPE, BLK BOLT(GT)	1472-CM311A-501	1	1.5Nm
B	CAP FOR SEAT TUBE DI2 HOLE (WL- 9202-6)	1346-WL9202-401	1	
C	RIDESENSOR PLUG CHAIN STAY IN PVC BAG	134-SENSOR-202	1	
D	CM246B D6.5 DERAILLEUR CABLE STOPPER(C/S)	1630-CM246B-201	1	

## 1.15 MY17 TCR SLR Alux - Mechanical Shifting




No	Description	Part#	QTY	Torque
1	G16SP1 for MY16 TCR ADV Pro/TCR ADV=>1721MG16SP1A601/1B1721G16SP101A	1721-G16SP1-601	1	
2	VLD-201 MY16 TCR ADV SEATPOST WATERPROOF RUBBER SEAL NBR BLK	1724-SPSHIM-602	1	
3	G16SC1 AL6061 BLK INTEGRATE SEAT CLAMP(3PCS) W/M5X35MM BOLT W/1MM WASHER (FOR TCR ADV Pro/TCR ADV)	1722-G16SC1-601	1	6Nm
4	WG39 A6066-T6 ANOD BLK W/M5X0.8X15L-2PC STL FOR G00507	1643-WG3900-01	1	
5	YF-007-4KL NYLON L=49MM WO/BOLT	1640-YF0074-04	1	
6	CM246B D6.5 DERAILLEUR CABLE STOPPER(C/S)	1630-CM246B-201	1	
7	RECL A7005-T6 FOR MY16-TCR ADV W/M3X0.5X8L	1159-RECL00-001	1	1.5Nm
8	RIDESENSOR PLUG CHAIN STAY IN PVC BAG	134-SENSOR-202	1	

## 1.16 MY17 Contend DISC - Mechanical Shifting




No	Description	Part#	QTY	Torque
1	OIL CABLE RUBBER BLK(NBR)	1472-OILRUB-401	1	
2	G15SP1(SP268CF) D SHAPE 30.4/25.4X352 UD CARBON MATT W/SCALE DECAL	1721-G15SP1-502	1	
3	DEFY ADV 52X35 SEATPOST WATERPROOF RUBBER SEAL NBR BLK	1724-SPSHIM-502	1	
4	GISC01 AL6061 BLK INTEGRATE SEAT CLAMP(3PCS) W/M5X35L BOLT	1722-GISC01-501	1	6Nm
5	WG24G D35 S.TUBE 50T W/BLT A6066 BLK(JY001B)	1643-WG24G0-106	1	
6	YF007-5 NYLON R-40 WO/BOLT	1640-YF0075-001	1	
7	RECL A7005-T6 FOR MY16-TCR ADV W/M3X0.5X8L	1159-RECL00-001	1	1.5Nm

## 1.17 MY17 Contend SL - Mechanical Shifting




No	Description	Part#	QTY	Torque
1	G15SP1(SP268CF) D SHAPE 30.4/25.4X352 UD CARBON MATT W/SCALE DECAL	1721-G15SP1-502	1	
2	DEFY ADV 52X35 SEATPOST WATERPROOF RUBBER SEAL NBR BLK	1724-SPSHIM-502	1	
3	GISC01 AL6061 BLK INTEGRATE SEAT CLAMP(3PCS) W/M5X35L BOLT	1722-GISC01-501	1	
4	WG24G D35 S.TUBE 50T W/BLT A6066 BLK(JY001B)	1643-WG24G0-106	1	
5	YF007-5 NYLON R-40 WO/BOLT	1640-YF0075-001	1	
6	RECL A7005-T6 FOR MY16-TCR ADV W/M3X0.5X8L	1159-RECL00-001	1	1.5Nm

## 1.18 MY17 Contend - Mechanical Shifting



No	Description	Part#	QTY	Torque	Remark
1	SP-C212 27.2X300 B.BK/BED HEAD W/MY15 SIL/WHT LG	1721-SPC212-504	1		43-46.5M Size
1.1	SP-C212 27.2X375 B.BK/BED HEAD W/MY15 SIL/WHT LG	1721-SPC212-505	1		50-58.5M Size
2	G1SC01 31.8X12H B.BLK W/1 BOLT	1722-G1SC01-02	1		
3	WG24G D35 S.TUBE 50T W/M5*15 BLT A6066 BLK(JY001B)	1643-WG24G0-106	1		
4	YF007-5 NYLON R-40 WO/BOLT	1640-YF0075-001	1		
5	RECL A7005-T6 FOR MY16-TCR ADV W/M3X0.5X8L	1159-RECL00-001	1	1.5Nm	

## 1.19 MY17 TCX Adv - Mechanical Shifting




No	Description	Part#	QTY	Torque
1	CM246B D6.5 DERAILLEUR CABLE STOPPER(H/T)	1630-CM246B-201	1	
2	OIL CABLE RUBBER BLK(NBR)	1472-OILRUB-401	1	
3	CM246B D6.5 DERAILLEUR CABLE STOPPER(H/T)	1630-CM246B-201	1	
4	BK INTERNAL CABLE PORT COVER ONE HOLE	1472-PLUGIN-404	1	
5	G2WG01 BLK OD40 2-LINES+HOLE5.8 WO/BOLTS	1640-G2WG01-201	1	3Nm
6	CM246B D6.5 DERAILLEUR CABLE STOPPER(C/S)	1630-CM246B-201	1	
7	CAP FOR SEAT TUBE DI2 HOLE(WL-9202-6)	1346-WL9202-401	1	
8	RE247 FOR MY16-TCX ADV PRO W/2- M3X0.5X8L SUS BK	1159-RE2470-001	1	
9	WG34 34W FOR:50/34T A6066 BLK	1643-WG3400-01	1	

Di2 Upgrade parts [put in small box]


A	CCG053N 8.5MMX17MM D2.8MM/3.7MM RUBBER	1471-CCG053-201	1	
B	CIRCLE (D=8, H=8.1) PLUG HEAD TUBE W/ GIANT LOGO FOR DI2 SYSTEM	134-FRAMER-202	1	
C	CCG053N 8.5MMX17MM D2.8MM/3.7MM RUBBER	1471-CCG053-201	1	
D	GROMMET FOR EW-SD50, SM-GM01, (6MM CIRCLE), BULK	1472-GROMET-02	1	
E	D FUSE(G14SP1)/ISP INTERNAL SEATPOST DI2 BATTERY HOLDER W/MANU	2450-G15BTD-501	1	

## 1.20 MY17 TCX Adv - Di2




No	Description	Part#	QTY	Torque
1	CCG053N 8.5MMX17MM D2.8MM/3.7MM RUBBER	1471-CCG053-201	1	
2	OIL CABLE RUBBER BLK(NBR)	1472-OILRUB-401	1	
3	CIRCLE (D=8, H=8.1) PLUG HEAD TUBE W/ GIANT LOGO FOR DI2 SYSTEM	134-FRAMER-202	1	
4	BK INTERNAL CABLE PORT COVER ONE HOLE	1472-PLUGIN-404	1	
5	G2WG01 BLK OD40 2-LINES+HOLE5.8 WO/BOLTS	1640-G2WG01-201	1	3Nm
6	CCG053N 8.5MMX17MM D2.8MM/3.7MM RUBBER	1471-CCG053-201	1	
7	GROMMET FOR EW-SD50, SM-GM01, (6MM CIRCLE), BULK	1472-GROMET-02	1	
8	D FUSE(G14SP1)/ISP INTERNAL SEATPOST DI2 BATTERY HOLDER W/MANU	2450-G15BTD-501	1	
9	RE247 FOR MY16-TCX ADV PRO W/2- M3X0.5X8L SUS BK	1159-RE2470-001	1	
10	WG34 34W FOR:50/34T A6066 BLK	1643-WG3400-01	1	
Parts for mech. shifting [put in small box]				
A	CM246B D6.5 DERAILLEUR CABLE STOPPER(H/T)	1630-CM246B-201	1	
B	CM246B D6.5 DERAILLEUR CABLE STOPPER(H/T)	1630-CM246B-201	1	
C	CM246B D6.5 DERAILLEUR CABLE STOPPER(C/S)	1630-CM246B-201	1	
D	CAP FOR SEAT TUBE DI2 HOLE(WL-9202-6)	1346-WL9202-401	1	

## 1.21 MY17 TCX /Brava SLR - Mechanical shifting




No	Description	Part#	QTY	Torque
1	OIL CABLE RUBBER BLK(NBR)	1472-OILRUB-401	2	
2	CAP FOR SEAT TUBE DI2 HOLE(WL-9202-6)	1346-WL9202-401	1	
3	BK INTERNAL CABLE PORT COVER ONE HOLE	1472-PLUGIN-404	2	
4	CM246B D6.5 DERAILLEUR CABLE STOPPER(C/S)	1630-CM246B-201	1	
5	RE247 FOR MY16-TCX ADV PRO W/2-M3X0.5X8L SUS BK	1159-RE2470-001	1	
6	WG34 34W FOR:50/34T A6066 BLK	1643-WG3400-01	1	
Di2 Upgrade parts [put in small box]				
A	CCG053N 8.5MMX17MM D2.8MM/3.7MM RUBBER	1471-CCG053-201	2	
B	GROMMET FOR EW-SD50, SM-GM01, (6MM CIRCLE), BULK	1472-GROMET-02	1	
C	D FUSE(G14SP1)/ISP INTERNAL SEATPOST DI2 BATTERY HOLDER W/MANU	2450-G15BTD-501	1	

## 1.22 MY17 TCX SLR - Di2




No	Description	Part#	QTY	Torque
1	OIL CABLE RUBBER BLK(NBR)	1472-OILRUB-401	2	
2	CCG053N 8.5MMX17MM D2.8MM/3.7MM RUBBER	1471-CCG053-201	2	
3	GROMMET FOR EW-SD50, SM-GM01, (6MM CIRCLE), BULK	1472-GROMET-02	1	
4	BK INTERNAL CABLE PORT COVER ONE HOLE	1472-PLUGIN-404	2	
5	D FUSE(G14SP1)/ISP INTERNAL SEATPOST DI2 BATTERY HOLDER W/MANU	2450-G15BTD-501	1	
6	RE247 FOR MY16-TCX ADV PRO W/2-M3X0.5X8L SUS BK	1159-RE2470-001	1	
7	WG34 34W FOR:50/34T A6066 BLK	1643-WG3400-01	1	
Parts for mech. shifting [put in small box]				
A	CAP FOR SEAT TUBE DI2 HOLE(WL-9202-6)	1346-WL9202-401	1	
B	CM246B D6.5 DERAILLEUR CABLE STOPPER(C/S)	1630-CM246B-201	1	

## 1.23 MY17/ MY16 TCR Adv(Pro) & Adv SL - Mechanical



No	Statement	P/N	QTY.	TORQUE(N · m)
1	CM333 CABLE STOPPER NYLON W/1000MM PE HOSE FOR MECH DRL.(MY16 TCR ADV)	1472-CM333A-601	1	1.5N · m
2	CAP FOR SEAT TUBE DI2 HOLE (WL-9202-6)	1346-WL9202-401	2	-
3	WG62 BB GUIDE FOR MY16 TCR ADV SL/TCR ADV W/ BOLT	1640-WG6200-601	1	-
4	Brake Cable Stopper-MY16 TCR ADV SL/TCR	1472-CBLSTP-601	2	1.5N · m
5	CM246B D6.5 DERAILLEUR CABLE STOPPER(C/S)	1630-CM246B-201	1	-
6	WG34 34W FOR:50/34T A6066 BLK	1643-WG3400-01	1	-
7	RECL A7005-T6 FOR MY16-TCR ADV W/M3X0.5X8L	1159-RECL00-001	1	1.5 N · m
8	G6SD01(SP132S) BODY ANO.BLK CLAMP ANO.BLK W/TI BOLT(FOR MY16 TCR ADV SL ISP)	1725-G6SD01-601	1	
Di2 Upgrade parts [put in small box]				
A	CM332 CABLE STOPPER NYLON FOR Di2 DRL.(MY16 TCR ADV)	1472-CM332A-601	1	1.5N · m
B	GROMMET FOR EW-SD50, SM-GM02, (7X8MM), BULK	1472-GROMET-02	2	-
C	CCG053N 8.5MMX17MM D2.8MM/3.7MM RUBBER	1471-CCG053-201	1	-
D	RIDESENSOR PLUG CHAIN STAY IN PVC BAG	134-SENSOR-202	1	-
E	NEW VECTOR AERO SP/ISP DI2 BATTERY HOLDER W/MANUAL(MY16 TCR ADV)	1724-G16BTA-601	1	-




No	Statement	P/N	QTY.	TORQUE(N · m)
1	CM333 CABLE STOPPER NYLON W/1000MM PE HOSE FOR MECH DRL.(MY16 TCR ADV)	1472-CM333A-601	1	1.5N · m
2	CAP FOR SEAT TUBE DI2 HOLE (WL-9202-6)	1346-WL9202-401	2	-
3	WG62 BB GUIDE FOR MY16 TCR ADV SL/TCR ADV W/ BOLT	1640-WG6200-601	1	-
4	Brake Cable Stopper-MY16 TCR ADV SL/TCR	1472-CBLSTP-601	2	1.5N · m
5	CM246B D6.5 DERAILLEUR CABLE STOPPER(C/S)	1630-CM246B-201	1	-
6-1	WG39 A6066-T6 ANOD BLK W/M5X0.8X15L	1643-WG3900-01	1	-
7	RECL A7005-T6 FOR MY16-TCR ADV W/M3X0.5X8L	1159-RECL00-001	1	1.5 N · m
8	G16SC1 AL6061 BLK INTEGRATE SEAT CLAMP(3PCS) W/M5X35MM BOLT W/0.5MM	1722-G16SC1-601	1	7 N · m
9	MY16 TCR ADV SEATPOST WATERPROOF RUBBER SEAL	1724-SPSHIM-602	1	-

Di2 Upgrade parts [put in small box]


A	CM332 CABLE STOPPER NYLON FOR Di2 DRL.(MY16 TCR ADV)	1472-CM332A-601	1	1.5N · m
B	GROMMET FOR EW-SD50, SM-GM02, (7X8MM), BULK	1472-GROMET-02	2	-
C	CCG053N 8.5MMX17MM D2.8MM/3.7MM RUBBER	1471-CCG053-201	1	-
D	RIDESENSOR PLUG CHAIN STAY IN PVC BAG	134-SENSOR-202	1	-
E	NEW VECTOR AERO SP/ISP Di2 BATTERY HOLDER W/MANUAL(MY16 TCR ADV)	1724-G16BTA-601	1	-

## 1.24 MY17/ MY16 Avow ADV Pro Handlebar parts combination chart



No.	P/N Number	Name	QTY.	TORQUE (N · m)
1	1321-G16HB3A001	Main Bar (w/o p)	1	
2	1321-G16HB1A002	Rest Bar (w/o p)	1	
3-1	1321-CG7100-001	Rest Bar mount	1	
3-2	1321-CG7000-001	Rest Bar clamp	2	
3-3	1321-CG7200-001	Support mount	1	
3-4	1321-CG72A0-001	Support slider	2	
4-1	1321-WS0160-001	Spacer 10mm	8	
4-2	1321-WS0160-002	Spacer 20mm	4	
5-1	1321-AVOWAL-601	Arm rest (L)	1	
5-2	1321-AVOWAR-601	Arm rest (R)	1	
6	1830-GFC141-601	Arm rest pad	1	
7	1342-CG17AA-01	Plug	2	
8	2120-WASHER-220	Washer	4	
9	2110-SFHSM6-006	Socket flat head screw(M6x12)	2	6N · m
10	2110-SFHSM5-009	Socket flat head screw(M5x10)	4	3N · m
11-1	2110-BB04AH-056	Screw(M5x30)	4	6N · m
11-2	2110-BB04AH-050	Screw(M5x40)	4	6N · m
11-3	2110-BB04AH-051	Screw(M5x50)	4	6N · m
11-4	2110-BB04AH-052	Screw(M5x60)	4	6N · m
12	2110-SFHSM5-010	Socket flat head screw(M5x20)	4	3N · m


## 1.25 MY17/ MY16 Trinity ADV Pro Cockpit Parts Assembly Chart




Parts	AS Parts #	Specification	Quantity
[1] Arm rest pad	13217OB0007A1		2
[2] Arm rest cradle	13217OB0006A1	Set: Left & Right sides are both included	1
[3] Arm extension	13217OB0012A1 13217OB0014A1	TRI ADV PRO 0 : 13217OB0012A1 TRI ADV PRO 1&2 : 13217OB0014A1	2
[4] Extension clamp	13217OB0009A1	Set: Left & Right sides are both included	1
[5] Bridge	13217OB0008A1		1
[6] Tear drop spacer		10mm	4
		20mm	4
		30mm	4
[7] Base bar	13217OB0011A1 13217OB0013A1	TRI ADV PRO 0 : 13217OB0011A1 TRI ADV PRO 1&2 : 13217OB0013A1	1
[8] Armrest bolt	13217OB0010A1 (For Extension clamp bolts, there will be 4 pieces for each combinations of spacers, totally 24 pieces bolts.)	M5X8 tapered	4
[9] Extension plug			2
[10] Handlebar ring			4
[11] Bolt washers			4
[12] Handlebar plug		Front	2
		Rear	2
		M5X90 (w/ Tear drop spacer H:60)	4
		M5X80 (w/ Tear drop spacer H:50)	
		M5X70 (w/ Tear drop spacer H:40)	
		M5X60 (w/ Tear drop spacer H:30)	
		M5X50 (w/ Tear drop spacer H:20)	
[13] Extension clamp bolts		M5X40 (w/ Tear drop spacer H:10)	

## 2. Cable routing path



### 2.1. MY17 Anthem / Trance / Pique / Hail cable routing






## 2.2. MY17 Anthem ADV / Trance ADV / Pique ADV / Hail ADV cable routing (without Live suspension system)





- R.D. cable
- R.B. cable
- F.D. cable
- Dropper s/p. cable





## 2.3. MY17 XtC 27.5+ / 29 cable routing




## 2.4. MY17 Fathom cable routing



## 2.5. MY17 Fathom 29 cable routing



## 2.6. MY17/ MY16 Avow Advance Pro




**Pink :** front shifting

**Yellow:** rear shifting

**Red :** Arm shifting to Junction A & J-B1

**Purple:** J-B1 to Junction A

**Green:** Junction A- To Junction B-DT




**Pink :** front shifting

**Yellow:** rear shifting

**Green:** Junction A- To Junction B-DT




**Light Green:** J-B-DT To ST Battery




**Blue:** Rear brake

**Orange:** Front brake


## 2.7. MY17/ MY16 Trinity Advanced Pro








FRONT DERAILLEUR CABLE : Pink  
REAR DERAILLEUR CABLE : Purple

Front brake



Rear brake






No.	Statement	P/N
1	RE155 A7005-T6 ANO BLK W/M4X0.7X10X2PC STL BOLT	1159-RE1550-001
2	CIRCLE (D=10, H=3.6) PLUG TOP & SEAT TUBE W/ GIANT LOGO FOR DI2 SYSTEM	134-FRAMER-201
3	M177BJ BK 4MM NOSED CAP 13mm	1459-CM177BJ-01
4	WG39 A6066-T6 ANOD BLK W/M5X0.8X15L-2PC	1643-WG3900-01
<b>Di2 parts [put in small box]</b>		
A	MY16 TRI/AVOW AERO SP DI2 BATTERY HOLDER W/MANUAL	2450-G16BTA-602
B	GROMMET FOR EW-SD50, SM-GM02, (7X8MM), BULK	1472-GROMET-02

### 3. Rear Frame Linkages Parts BOM

#### 3.1. MY17 Embolden


使用車種: Embolden

鎖 緊 扭 力	P	120–150	Kgf–cm
O		90–110	



Part	Ref.	Embolden 1	Embolden 2(A)	Embolden 2(B)
Rock arm set		1280GSB43102C1	1280GSB43102A1	1280GSB43102B1
Rock Arm bolts kit	8+10+11	1280GSB43104A1	1280GSB43104A1	1280GSB43104A1
Rock arm kit	Rock arm+8+10+11	1280GSB43103C1	1280GSB43103A1	1280GSB43103B1
Lower linkage unit	-	-	-	-
Lower linkage bolts kit	-	-	-	-
Lower linkage kit	-	-	-	-
Rear shock bolts kit	8+9	1280GSB43101A1	1280GSB43101A1	1280GSB43101A1
Pivot bolt kit	-	-	-	-
R.FRAME bolt kit	9+11	1280GSB43105A1	1280GSB43105A1	1280GSB43105A1


### 3.2. MY17 Stance



Part	Ref.	Stance 1	Stance 2 (A)	Stance 2 (B)
Rock arm set		1280GSB43002H1	1280GSB43002F1	1280GSB43002G1
Rock Arm bolts kit	8+10+11	1280GSB43004B1	1280GSB43004B1	1280GSB43004A1
Rock arm kit	Rock arm+8+10+11	1280GSB43003H1	1280GSB43003F1	1280GSB43003G1
Lower linkage unit	-	-	-	-
Lower linkage bolts kit	-	-	-	-
Lower linkage kit	-	-	-	-
Rear shock bolts kit	8+9	1280GSB43001B1	1280GSB43001B1	1280GSB43001A8
Pivot bolt kit	-	-	-	-
R.FRAME bolt kit	9+11	1280GSB43005B1	1280GSB43005B1	1280GSB43005A7

### 3.3. MY17 Reign


叉骨偏向量測行程 335  
上叉 40.1  
下叉邊 39.5 /R邊 39.5



Part	Ref.	REIGN 1	REIGN 1.5 LTD	Reign 2/LTD-A	Reign 2 LTD-B
Rock arm set	6	1280GS034F01I1	1280GS034F01M1	1280GS034F01J1	1280GS034F01K1
Rock arm kit	6+8+10+11	1280GS034F02I1	1280GS034F02M1	1280GS034F02J1	1280GS034F02K1
Rock Arm bolts kit	8+10+11	1280GS034F03A1	1280GS034F03B1	1280GS034F03A1	1280GS034F03A1
Lower linkage unit	7	1280GS034F04H1	1280GS034F04L1	1280GS034F04I1	1280GS034F04J1
Lower linkage kit	7+9+13	1280GS034F05H1	1280GS034F05L1	1280GS034F05I1	1280GS034F05J1
Lower linkage bolts kit	9+13	1280GS034F06A1	1280GS034F06B1	1280GS034F06A1	1280GS034F06A1
Rear shock bolts kit	8+9	1280GS034F07A1	1280GS034F07B1	1280GS034F07A1	1280GS034F07A1
Pivot bolt kit	11+13	1280GS034F08A1	1280GS034F08B1	1280GS034F08A1	1280GS034F08A1

Part	Ref.	Reign SX	Reign ADV 0	Reign ADV 1	Reign ADV FR
Rock arm set	6	1280GS034F01L1	1280GS034F01N1	1280GS034F01O1	1280GS034F01P1
Rock arm kit	6+8+10+11	1280GS034F02L1	1280GS034F02N1	1280GS034F02O1	1280GS034F02P1
Rock Arm bolts kit	8+10+11	1280GS034F03A1	1280GS034F03A1	1280GS034F03B1	1280GS034F03A1
Lower linkage unit	7	1280GS034F04K1	1280GS034F04K1	1280GS034F04M1	1280GS034F04I1
Lower linkage kit	7+9+13	1280GS034F05K1	1280GS034F05K1	1280GS034F05M1	1280GS034F05I1
Lower linkage bolts kit	9+13	1280GS034F06A1	1280GS034F06A1	1280GS034F06B1	1280GS034F06A1
Rear shock bolts kit	8+9	1280GS034F07A1	1280GS034F07A1	1280GS034F07B1	1280GS034F07A1
Pivot bolt kit	11+13	1280GS034F08A1	1280GS034F08A1	1280GS034F08B1	1280GS034F08A1


### 3.4. MY17 Trance



Part	Ref.	TRANCE 1	TRANCE 1.5 LTD (Black)	TRANCE 1.5 LTD (Orange)	TRANCE 2 (Black)	TRANCE 2 (Yellow)
Rock arm set	6	1280GS834A01A1	1280GS834A01B1	1280GS834A01C1	1280GS834A01D1	1280GS834A01E1
Rock Arm bolts kit	8+10+11	1280GS834A03B1	1280GS834A03B1	1280GS834A03A1	1280GS834A03A1	1280GS834A03A1
Lower linkage unit	7	1280GS834A04A1	1280GS834A04B1	1280GS834A04C1	1280GS834A04D1	1280GS834A04E1
Lower linkage bolts kit	12+13	1280GS834A06B1	1280GS834A06B1	1280GS834A06A1	1280GS834A06A1	1280GS834A06A1
Rear shock bolts kit	8+12	1280GS834A07B1	1280GS834A07B1	1280GS804A07A1	1280GS804A07A1	1280GS804A07A1
Pivot bolt kit	11+13	1280GS834A08B1	1280GS834A08B1	1280GS834A08A1	1280GS834A08A1	1280GS834A08A1


Part	Ref.	TRANCE 2 LTD (Black)	TRANCE 2 LTD (Yellow)	TRANCE 3	TRANCE 4	TRANCE-FR
Rock arm set	6	1280GS834A01F1	1280GS834A01G1	1280GS834A01H1	1280GS834A01J1	1280GS834A01A1
Rock Arm bolts kit	8+10+11	1280GS834A03B1	1280GS834A03A1	1280GS834A03A1	1280GS834A03A1	1280GS834A03B1
Lower linkage unit	7	1280GS834A04F1	1280GS834A04G1	1280GS834A04H1	1280GS834A04J1	1280GS834A04A1
Lower linkage bolts kit	12+13	1280GS834A06B1	1280GS834A06A1	1280GS834A06A1	1280GS834A06A1	1280GS834A06B1
Rear shock bolts kit	8+12	1280GS834A07B1	1280GS804A07A1	1280GS804A07A1	1280GS804A07A1	1280GS834A07B1
Pivot bolt kit	11+13	1280GS834A08B1	1280GS834A08A1	1280GS834A08A1	1280GS834A08A1	1280GS834A08B1

### 3.5. MY17 Trance Advance




Part	Ref.	TRANCE ADV 0	TRANCE ADV 1	TRANCE ADV 2	TRANCE ADV 2 GE	TRANCE ADV-FR
Rock arm set	6	1280GS831201A1	1280GS831201B1	1280GS831201C1	1280GS831201D1	1280GS831201E1
Rock Arm bolts kit	8+10+11	1280GS831203A1	1280GS831203A1	1280GS831203A1	1280GS831203A1	1280GS831203B1
Lower linkage unit	7	1280GS831204A1	1280GS831204B1	1280GS831204C1	1280GS831204D1	1280GS831204E1
Lower linkage bolts kit	12+13	1280GS831206A1	1280GS831206A1	1280GS831206A1	1280GS831206A1	1280GS831206B1
Rear shock bolts kit	8+12	1280GS831207A1	1280GS831207A1	1280GS831207A1	1280GS831207A1	1280GS831207B1
Pivot bolt kit	11+13	1280GS831208A1	1280GS831208A1	1280GS831208A1	1280GS831208A1	1280GS831208B1

### 3.6. MY17 Hail




Part	Ref.	Hail 1	Hail 2	Hail 2-GE
Rock arm set	6	1280GS834B01A1	1280GS834B01B1	1280GS834B01B1
Rock Arm bolts kit	8+10+11	1280GS834B03A1	1280GS834B03A1	1280GS834B03A1
Lower linkage unit	7	1280GS834B04A1	1280GS834B04B1	1280GS834B04B1
Lower linkage bolts kit	12+13	1280GS834B06A1	1280GS834B06A1	1280GS834B06A1
Rear shock bolts kit	8+12	1280GS834B07A1	1280GS834B07A1	1280GS834B07A1
Pivot bolt kit	11+13	1280GS834B08A1	1280GS834B08A1	1280GS834B08A1

### 3.7. MY17 Hail ADV



Part	Ref.	Hail ADV 0	Hail ADV 1
Rock arm set	6	1280GS831301A1	1280GS831301B1
Rock Arm bolts kit	8+10+11	1280GS831303A1	1280GS831303A1
Lower linkage unit	7	1280GS831304A1	1280GS831304B1
Lower linkage bolts kit	12+13	1280GS831306A1	1280GS831306A1
Rear shock bolts kit	8+12	1280GS831307A1	1280GS831307A1
Pivot bolt kit	11+13	1280GS831308A1	1280GS831308A1


### 3.8. MY17 Anthem



Part	Ref.	Anthem 1	Anthem 2/2 GE A	Anthem 2/2 GE B
Rock arm set	6	1280GS804Y01A4	1280GS804Y01J4	1280GS804Y01K2
Rock Arm bolts kit	8+10+11	1280GS804Y03A9	1280GS804Y03A9	1280GS804Y03A9
Lower linkage unit	7	1280GS804Y02A1	1280GS804Y02J1	1280GS804Y02A1
Lower linkage bolts kit	9+13	1280GS804Y04A6	1280GS804Y04A6	1280GS804Y04A6
Rear shock bolts kit	8+9	1280GS804Y05A3	1280GS804Y05A3	1280GS804Y05A3
Pivot bolt kit	11+13	1280GS804Y06A0	1280GS804Y06A0	1280GS804Y06A0

Ref.	Anthem 3	Anthem SX 1	Anthem SX 2	Anthem-FR
6	1280GS804Y01B2	1280GS804Y01D9	1280GS804Y01E7	1280GS804Y01U9
8+10+11	1280GS804Y03A9	1280GS804Y03A9	1280GS804Y03B7	1280GS804Y03A9
7	1280GS804Y02A1	1280GS804Y02D6	1280GS804Y02E4	1280GS804Y02U6
9+13	1280GS804Y04A6	1280GS804Y04A6	1280GS804Y04B4	1280GS804Y04A6
8+9	1280GS804Y05A3	1280GS804Y05A3	1280GS804Y05B1	1280GS804Y05A3
11+13	1280GS804Y06A0	1280GS804Y06A0	1280GS804Y06B9	1280GS804Y06A0


### 3.8. MY17 Anthem Adv



Part	Ref.	MY17 Anthem ADV 0	MY17 Anthem ADV 1	MY17 Anthem ADV 2
Rock arm set	6	1280GS804Y01L0	1280GS804Y01H1	1280GS804Y01N7
Rock Arm bolts kit	8+10+11	1280GS801B03A2	1280GS801B03A2	1280GS801B03A2
Lower linkage unit	7	1280GS804Y02L8	1280GS804Y02A1	1280GS804Y02A1
Lower linkage bolts kit	9+13	1280GS804Y04A6	1280GS804Y04A6	1280GS804Y04A6
Rear shock bolts kit	8+9	1280GS804Y05A3	1280GS804Y05A3	1280GS804Y05A3
Pivot bolt kit	11+13	1280GS804Y06A0	1280GS804Y06A0	1280GS804Y06A0


MY17 Anthem ADV SX	MY17 Anthem ADV-FR
1280GS804Y01P3	1280GS804Y01V7
1280GS801B03B0	1280GS801B03B0
1280GS804Y02P0	1280GS804Y02V4
1280GS804Y04B4	1280GS804Y04B4
1280GS804Y05B1	1280GS804Y05B1
1280GS804Y06B9	1280GS804Y06B9

### 3.9. MY17 Anthem X 29er




Part	Ref.	MY17 Anthem X 29er
Rock arm set	6	1280GS804X01A9
Rock Arm bolts kit	8+10+11	1280GS804R45A4
Lower linkage unit	7	1280GS804X02A6
Lower linkage bolts kit	9+13	1280GS804R47A9
Rear shock bolts kit	8+9	1280GS804R42A2
Pivot bolt kit	11+13	1280GS804R44A7

### 3.10. MY17 Anthem X Adv 29er




Part	Ref.	MY17 Anthem X ADV 29er
Rock arm set	6	1280GS801A01A2
Rock Arm bolts kit	8+10+11	1280GS801A06A9
Lower linkage unit	7	1280GS801A02A1
Lower linkage bolts kit	9+13	1280GS801A07A6
Rear shock bolts kit	8+9	1280GS801A05A1
Pivot bolt kit	11+13	1280GS801A08A3

### 3.11. MY17 Glory




Part	Ref.	MY17 Glory 1	MY17 Glory 2
Rock arm set	6	1280GS024701G1	1280GS024701F1
Rock Arm bolts kit	8+10+11	1280GS024705B8	1280GS024705C6
Lower linkage unit	7	1280GS024703D1	1280GS024703C1
Lower linkage bolts kit	9+13	1280GS024706B5	1280GS024706C3
Rear shock bolts kit	8+9	1280GS024707B2	1280GS024707C0
Pivot bolt kit	11+13	1280GS024708B1	1280GS024708C8

### 3.12 MY17 Glory Adv




Part	Ref.	MY17 Glory ADV 0	MY17 Glory ADV 1	MY17 Glory ADV-FR
Rock arm set	6	1280GS021001F1	1280GS021001E1	1280GS021001F1
Rock Arm bolts kit	8+10+11	1280GS024705C6	1280GS024705C6	1280GS024705C6
Lower linkage unit	7	1280GS021003B1	1280GS021003A3	1280GS021003B1
Lower linkage bolts kit	9+13	1280GS024706C3	1280GS024706C3	1280GS024706C3
Rear shock bolts kit	8+9	1280GS024707C0	1280GS024707C0	1280GS024707C0
Pivot bolt kit	11+13	1280GS024708C8	1280GS024708C8	1280GS024708C8

### 3.13. MY17 Pique




Part	Ref.	MY17 Pique 1	MY17 Pique 2	MY17 Pique 3	MY17 Pique SX
Rock arm set	6	1280GS804Y01C0	1280GS804Y01T0	1280GS804Y01F5	1280GS804Y01G3
Rock Arm bolts kit	8+10+11	1280GS801B03B0	1280GS801B03B0	1280GS801B03B0	1280GS801B03B0
Lower linkage unit 14.5	7	1280GS804Z02C3	1280GS804Z02T3	1280GS804Z02F8	1280GS804Z02G6
Lower linkage unit 16/18/20	7	1280GS804Y02C8	1280GS804Y02T8	1280GS804Y02F2	1280GS804Y02G0
Lower linkage bolts kit	9+13	1280GS804Y04B4	1280GS804Y04B4	1280GS804Y04B4	1280GS804Y04B4
Rear shock bolts kit	8+9	1280GS804Y05B1	1280GS804Y05B1	1280GS804Y05B1	1280GS804Y05B1
Pivot bolt kit	11+13	1280GS804Y06B9	1280GS804Y06B9	1280GS804Y06B9	1280GS804Y06B9

### 3.14. MY17 Pique



Part	Ref.	MY17 Pique 1	MY17 Pique 2	MY17 Pique 3	MY17 Pique SX
Rock arm set	6	1280GS804Y01C0	1280GS804Y01T0	1280GS804Y01F5	1280GS804Y01G3
Rock Arm bolts kit	8+10+11	1280GS801B03B0	1280GS801B03B0	1280GS801B03B0	1280GS801B03B0
Lower linkage unit 14.5	7	1280GS804Z02C3	1280GS804Z02T3	1280GS804Z02F8	1280GS804Z02G6
Lower linkage unit 16/18/20	7	1280GS804Y02C8	1280GS804Y02T8	1280GS804Y02F2	1280GS804Y02G0
Lower linkage bolts kit	9+13	1280GS804Y04B4	1280GS804Y04B4	1280GS804Y04B4	1280GS804Y04B4
Rear shock bolts kit	8+9	1280GS804Y05B1	1280GS804Y05B1	1280GS804Y05B1	1280GS804Y05B1
Pivot bolt kit	11+13	1280GS804Y06B9	1280GS804Y06B9	1280GS804Y06B9	1280GS804Y06B9

### 3.15. MY17 Pique Adv



Part	Ref.	MY17 Pique ADV 0	MY17 Pique ADV 1	MY17 Pique ADV 2	MY17 Pique ADV SX
Rock arm set	6	1280GS804Y01M9	1280GS804Y01Q1	1280GS804Y01R1	1280GS804Y01S2
Rock Arm bolts kit	8+10+11	1280GS801B03B0	1280GS801B03B0	1280GS801B03A2	1280GS801B03B0
Lower linkage unit	7	1280GS804Y02M6	1280GS804Y02Q9	1280GS804Y02R7	1280GS804Y02S1
Lower linkage bolts kit	9+13	1280GS804Y04B4	1280GS804Y04B4	1280GS804Y04A6	1280GS804Y04B4
Rear shock bolts kit	8+9	1280GS804Y05B1	1280GS804Y05B1	1280GS804Y05A3	1280GS804Y05B1
Pivot bolt kit	11+13	1280GS804Y06B9	1280GS804Y06B9	1280GS804Y06A0	1280GS804Y06B9