



Technical manual

Model Year:	MY18
Purpose:	FOR GIANT DEALERS ONLY

CONTENTS

1.	New! Parts Catalogue.....	3
1.1	Frame protectors.....	3
1.2	Cable routing kits	7
1.3	Seatpost & seatpost kits	10
1.4	MY18 Contact Switch seatpost	14
1.5	Di2 battery holder set	15
1.6	Brake parts	19
1.7	FD TYPE	20
1.8	Others Accessories.....	21
1.9	Replaceable Dropout / Derailleur Hanger	22
1.10	Giant Axle position adjustment:.....	25
1.11	Giant Thru-axle	26
1.12	MY18 Anthem ADV PRO/ Reign ADV	27
1.13	MY18 Langma ADV SL/ ADV PRO – Mechanical.....	28
1.14	MY18 Langma ADV SL/ ADV PRO – E-tap . Di2	29
1.15	MY18 Langma ADV PRO Disc– Mechanical	30
1.16	MY18 Langma ADV PRO Disc – Di2	31
1.17	MY18 Langma ADV & Langma ADV Pro- OD1&OD2 cone sets	32
1.18	MY18 Langma ADV & Langma ADV Pro- CONTACT SLR FLUX STEM.....	33
1.19	MY18 Propel Adv SL Disc & Adv Pro Disc –Mechanical	34
1.20	MY18 Propel Adv SL Disc & Adv Pro Disc – Di2.....	35
1.21	MY18 Propel Adv SL Disc & Adv Pro Disc	36
1.22	MY18/ MY17 Avow ADV Pro Handlebar parts combination chart.....	37
1.23	MY18 / MY17 Avow ADV Pro Stem/ Base bar Parts Assembly Chart.....	38
1.24	MY18 Trinity ADV Pro Stem/ Base bar Parts Assembly Chart	39
1.25	MY18/ MY17 Trinity ADV Pro Cockpit Parts Assembly Chart.....	40
2.	Cable routing path	41
2.1.	MY18 Anthem 29/ Reign	41
2.2.	MY18 Anthem Adv 29/ Reign Adv	42
2.3.	MY18 Anthem Adv Pro 29/ Reign Adv.....	43
2.4.	MY18 Talon/ Talon 29	44
2.5.	MY18 FastTour / Lissom.....	45
	-Cable Routing.....	45
	-FORK CABLE ROUTING	46
	-ELECTRIC CABLE ROU 2 TING.....	46
	SMART RACK MOUNT	46
2.6.	MY18 ALLTOUR / LaVie	47

-Cable Routing.....	47
– Electric Cable Routing	48
-SMART RACK MOUNT.....	48
2.7. MY18 AnyRoad ADV.....	49
2.8. MY18 FastTour / Lissom.....	50
– Cable Routing.....	50
-Electric Cable Routing.....	51
-Smart Rack Mount	51
2.9. MY18 ATX & ARX	52
2.10. MY18 ToughRoad GX.....	53
X - Defender System.....	53
X - Defender System Extend.....	53
Rack Mount System.....	53
2.11. MY18 Pique / Hail cable routing.....	54
2.12. MY18 Pique ADV / Hail ADV cable routing.....	55
2.13. MY18 Langma ADV/ ADV PRO –Mechanical.....	56
2.14. M18 Langma ADV/ ADV PRO Disc –Mechanical.....	56
3. Rear Frame Linkages Parts BOM.....	57
3.1. MY18 Anthem	57
3.2. MY18 Anthem ADV	58
3.3. MY18 Anthem 29	59
3.4. MY18 Anthem ADV 29.....	60
3.5. MY18 Anthem ADV PRO 29.....	61
3.6. MY18 Reign.....	62
3.7. MY18 Reign ADV.....	63
3.8. MY18 Embolden	64
3.9. MY18 Stance.....	65
3.10. MY18 Hail	66
3.11. MY18 Hail ADV.....	67
3.12. MY18 Trance	68
3.13. MY18 Trance ADV	69
3.14. MY18 Trance JR26.....	70
3.15. MY18 Glory 27.5.....	71
3.16. MY18 Glory ADV	72
3.17. MY18 Pique 27.5	73
3.18. MY18 Pique SX.....	74
3.19. MY18 Pique ADV	75
3.20. MY18 FULL E	76


1. New! Parts Catalogue

1.1 Frame protectors

Down tube protector:

To provide excellent protection of frame finish during all mountain riding.

Part#
3G9-4018-1


Down tube protector:

To provide excellent protection of frame finish during all mountain riding.

Part#
3G9-4014-1


Compatible with:

MY18/MY17	Anthem ADV / Trance ADV
MY18	Anthem ADV Pro 29/ Anthem ADV 29

Down tube protector:

To provide excellent protection of frame finish during all mountain riding.

Part#
3G9-4015-1


Compatible with:

MY18/ MY17	Pique ADV / Hail ADV
------------	----------------------

MY18 ToughRoad GX X-defender:

To fix the cable and prevent the water and mud those are rolled up by front wheel.

Part number
1830-DTAAA-403
1830-DTAAA-404


Compatible with:

MY18/ MY17	ToughRoad
------------	-----------

Down tube protector:

To provide excellent protection of frame finish during all mountain riding.

Part#
1175-G33007-02P


Compatible with:

MY17	XtC ADV 27.5 + / 29
------	---------------------

Down tube protector:

Part#
3G9-4002-1


Compatible with:

MY18/ MY17	XtC ADV 27.5/ Obsess 27.5
------------	---------------------------

Down tube protector:

To provide excellent protection of frame finish during all mountain riding.

Part#	3G9-4003-1
-------	------------

Compatible with:

MY18/MY17	Reign ADV 27.5/Reign 27.5
-----------	---------------------------



Down tube protector:

Provide additional protection to the down tube for preventing paint crack from severe downhill riding.

Part#	3G9-4004-1
-------	------------

Compatible with:

MY18/ MY17	Glory ADV 27.5/ Glory 27.5
------------	----------------------------


Down tube protector:..

Part#	3G9-4001-1
-------	------------

Compatible with:

MY18	Trance ADV27.5
------	----------------


Chain stay protector:

Prevent paint damaged from chain hitting chain stay under severe all terrain riding.

Part#	3G9-6044-1
-------	------------

Compatible with:

MY18	Reign ADV /Reign
------	------------------


Chain stay protector:

Prevent paint damaged from chain hitting chain stay under severe all terrain riding.

Part#	3G9-6038-1
-------	------------

Compatible with:

MY18	Anthem 29/ Anthem ADV 29/ Anthem ADV PRO 29
------	---


Chain stay protector:

Prevent paint damaged from chain hitting chain stay under severe all terrain riding.

Part#	3G9-6039-1
-------	------------

Compatible with:

MY18/ MY17	Pique / Pique ADV/ Hail / Hail ADV
------------	------------------------------------




Chain stay protector:

Prevent paint damaged from chain hitting chain stay under severe all terrain riding.

Part#

1175-G33007-01P



Compatible with:

MY17	XtC ADV 27.5 + / 29
------	---------------------

Chain stay protector:

Prevent paint damaged from chain hitting chain stay under severe all terrain riding.

Part#

1830-VLF255-601



Compatible with:

MY18/MY17	Tough Road
-----------	------------

Chain stay protector:

Prevent paint damaged from chain hitting chain stay under multi-terrain riding.

Part#

3G9-6008-1



Compatible with:

MY18/ MY17/MY16	Rapid
-----------------	-------

Chain stay protector:

Prevent paint damaged from chain hitting chain stay under severe all mountain riding.

Part#

3G9-6005-1



Compatible with:


MY18/ MY17/MY16	Reign ADV 27.5/Reign 27.5
-----------------	---------------------------

Chain stay protector:

Prevent paint damaged from chain hitting chain stay under severe downhill riding.

Part#

3G9-6006-1



Compatible with:

MY18 /MY17/MY16	Glory ADV 27.5/ Glory 27.5
-----------------	----------------------------

Seat stay protector:

Provide additional protection to the seat stay for preventing paint crack from severe downhill riding..

Part#

3G9-5001-1



Compatible with:

MY18	Reign/ Reign ADV/ Anthem 29 /Anthem ADV 29 / Anthem ADV PRO 29/ Pique / Pique ADV/ Hail / Hail ADV
------	--

BB CS cover:

Prevent paint damaged from chain hitting chain stay under severe all terrain riding.

Part#

1471-TRINTY-601



Compatible with:

MY18/MY17/MY16 Trinity Adv Pro / Avow Adv Pro

Brake Cover:


TKB164 L&R PLASTIC SIDE COVER (FAIRING)

Part#

1471-TKB164-601

Notes

L&R PLASTIC SIDE COVER W/BOTL



Compatible with:

MY18/MY17 Trinity Adv Pro / Avow Adv Pro


1.2 Cable routing kits

Cable plug:

Item	Name	Part#	Notes
1	Plug	1472-PLUGIN-404	One hole
2	Plug	1472-PLUGIN-402	Two holes
3	Plug	1472-PLUGIN-403	No hole
4	Plug	1472-PLUGIN-701	Three holes

Compatible with:


MY17	Anthem / Anthem ADV /Trance / Trance ADV Pique / Pique ADV / Hail / Hail ADV/ ATX / ARX
------	--


Cable plug:


Item	Name	Part#	Notes
1	Plug	1472-PLUGIN-714	One hole
2	Plug	1472-PLUGIN-712	Two holes
3	Plug	1472-PLUGIN-713	No hole
4	Plug	1472-CNN068-801	Three holes

Compatible with:

MY18	Anthem 29 / Anthem ADV 29 / Anthem ADV Pro 29/Reign / Reign ADV
------	--


Cable plug: (remote lockout shock)


	Part#	Notes	MY18
1	1472- CCN080-801	1.1mm wall thickness	Anthem 29/ Reign/ Hail
2	1472- CCN088-801	2 mm wall thickness	Trance ADV/ Anthem ADV 29/ Anthem ADV PRO 29/ Reign ADV/ Anthem 29/ Reign


**Cable plug:
W/O remote lockout shock**

Part#	Notes
1472-PLUGIN-702	1.1mm wall thickness

Compatible with:

MY18	Anthem 29/ Anthem ADV 29/ Anthem ADV PRO 29/ Reign / Reign ADV /Trance ADV/
------	--


HT Cable Guide L Side for Front/Rear Derailleur Cable

Part#
1471-CABLEG-801

Compatible with:

MY18	ALLTOUR/ LaVie/ AnyRoad ADV / FastTour/ Lissom
------	---



HT Cable Guide R Side for Front/Rear Derailleur Cable

Part#
1471-CABLEG-802



Compatible with:

MY18 | AllTour/ LaVie / AnyRoad ADV / FastTour/ Lissom

BB Cable Holder for Multi Cables

Part#
1640-BBGUID-801



Compatible with:

MY18 | AllTour/ LaVie / FastTour/ Lissom

Brake Cable

Chain Stay Cable Cap for Rear Brake & Fork Stay Cable Cap for Front Brake Cable

Part#
1472-PLUGIN-714



Compatible with:

MY18 | AllTour/ LaVie / Anyroad ADV / FastTour/ Lissom

Cable Cap

For Front Brake Cable @ Fork Crown

Part#
1471-FASTOU-801



Compatible with:

MY18 | FastTour/ Lissom

BB Guide

Part#
1640-WG6200-601



Compatible with:

MY18 | AnyRoad ADV

Front Brake Cable Cap for Rear Brake Cable

Part#
1346-PLUG-04



Compatible with:

MY18 | AnyRoad ADV

Fork bumper:

The fork bumper can provide addition protection to the frame to prevent frame damaged.

Part#
1275-BUMPER-503

Compatible with:

MY18/ MY17/MY16	Glory ADV 27.5/ Glory 27.5
-----------------	----------------------------


ATX & ARX

The rubber plugs provide better sealing to prevent water entering into frame through cable hole.

Part#
1472-PLUGIN-401

Compatible with:

MY18	ALLTOUR/ LaVie
------	----------------



Jagwire undersized shifting cable adjuster:

Compare to Jagwire CM233 version, this undersized shifting cable adjuster (type: CM309) is designed for used on full series of Giant road bikes to provide sufficient adjustment arrange within smaller volume and lighter weight.

Part#
1639-CM309B-501

Compatible with:

MY18/	AnyRoad/ Avail ADV/Defy ADV/Envie ADV/TCX
MY17	PropelAD/ Contend SL/ Avow AD/ TCR ADV



Integrated mechanical cable stop:

The integrated cable stop is an alloy stopper which allows mechanical shifting cable to pass through head tube for internal cable routing, which provides smooth and clean frame shape.

Part#
1472-CM311A-501

Compatible with:

MY18/ MY17/MY16	Defy ADSL
MY18/ MY17/MY16	Avail ADSL PRO



Electronic shifting wire grommet:

This rubber grommet can fix electronic shifting wire when wire passing through frame to avoid the wire moved too freely.

Part#
1472-HTPLUG-501

Compatible with:


MY18/ MY17/MY16	Defy ADSL/ Defy ADV
MY18/ MY17/MY16	Avail ADSL/Avail ADV



1.3 Seatpost & seatpost kits

Invisible seat clamp kit:

Part#	Item	Name
1472-G33007-01	1	ISC cover
1722-LP15G0-001	2	ISC bolt
	3	ISC top
	4	ISC middle
	5	ISC bottom


Compatible with:

MY18	Anthem ADV 29/ Anthem ADV Pro 29 XTC Adv 29/
------	---

Integrated Seat clamp:

For D. Fuse Seat Post

Part#

1722-G8SC03-801


Compatible with:

MY18	AllTour/ FastTour/ AnyRoad ADV
------	--------------------------------

Integrated Seat clamp:
Part#

1722-G8SC03-802


Compatible with:


MY18	LaVie/ Lissom
------	---------------

ISC Plug:

VLD-201 MY16 TCR ADV SEATPOST WATERPROOF RUBBER
SEAL NBR BLK

Part#


1724-SPSHIM-602


Compatible with:

MY17	TCR ADV (Pro) & TCR ADV (PRO) DISC
------	------------------------------------

Invisible seat clamp kit:

Part#	Item	Name
1722-SCS03X-02P	1	ISC cover
	2	ISC bolt
	3	ISC top
	4	ISC middle
	5	ISC bottom


Compatible with:

MY18/MY17	XtC ADV 27.5 + / 29
-----------	---------------------

FastRoad CoMax Seat clamp:

Part#	
	1722-G0A000-01



Compatible with:	
MY18/MY17	FastRoad CoMax

AnyRoad CoMax Seat clamp:

Part#	
	N/A


New TCR ADV ISP Seat Post Head :


Part#	
	1725-G6SD01-601


Invisible seat clamp for D-Fuse:

Invisible seat clamp units with M5X30L bolt.

Part#	
	1722-GISC01-501

Compatible with:	
MY17/MY16	Defy AD (SL)/ Avail AD(SL)
MY17	Contend SL


Invisible seat clamp kit:

Invisible seat clamp units with M6X25L bolt.

Part#	
	1729-SPLOCK-A01



Compatible with:	
MY16/ MY15	AnyRoad



Seat clamp for D-Fuse:

D-Fuse seat clamp with 2 pcs M5 M5X0.8X15L bolts.

Part#
1722-DFSC01-501


Compatible with:

MY17/ MY16	Defy / Avail
MY17	Contend SL

ISC Plug:

S.POST LOCK PARTS FOR ANYROAD CARRIER W/Torsion
MARK

Part#
1729-ANYROA-03


Compatible with:

MY18/ MY17	AnyRoad/ Contend SL
------------	---------------------

D-Fuse composite seatpost:

This D-Fuse seatpost provide more comfort for endurance ride.

Part#	Part Description
1721-G15SP1-502	D-Fuse Composite

G15SP1


Compatible with:

MY17	TCX SLR (ADV)/ Fast Road CM (SLR) Brava SLR/ Defy ADV/ Contend SL Avail AD (SL) / AnyRoad
------	---

D-Fuse ISP saddle clamp kit:

This D-Fuse saddle clamp kit is designed to use on Giant D-Fuse ISP frame to provide basic saddle clamping function and additional saddle height adjustment.

Part#	Part Description	Part Item
1725-G5SD01-501	D-Fuse ISP clamp set	①②③④⑤⑥⑦⑧
1729-G14SP1-002	Clamp& Bolt kit	①②③⑥⑦


Compatible with:

MY17/ MY16	Defy ADSL / Avail ADSL
------------	------------------------

Seat tube rubber seal for D. Fuse Seat Post

Part#
1724-SPSHIM-801


Compatible with:

M18	ALLTOUR/ AnyRoad ADV
-----	----------------------

Seat tube rubber seal for D. Fuse Seat Post

Part#
1724-SPSHIM-802


Compatible with:
M18 LaVie / Lissom


Seat tube rubber seal for Propel & Envie:

The rubber seal provide waterproof to prevent water entering into seat tube.

Part#
1724-SPSHIM-501


Compatible with:
MY18/ MY17/MY16 Propel ADV/ Propel SLR/ Envie ADV


Seat tube rubber seal for Defy Advanced / Avail Advanced:

The rubber seal provide better sealing to prevent water entering into frame through seat tube.

Part#
1724-SPSHIM-502

Compatible with:
MY18/MY17 Defy ADV/ Avail ADV/ Tough Road SLR/


Seat tube rubber seal for TCX Advanced:

The rubber seal provide better sealing to prevent water entering into frame through seat tube.

Part#
1724-SPSHIM-503


Compatible with:
MY17/ MY16 TCX ADV/ Brava SLR/ Tough Road
MY18 ToughRoad GX


ISC Plug:

VLD-208 MY16 TRI/AVOW ADV SEATPOST WATERPROOF RUBBER SEAL NBR BLK

Part#
1724-SPSHIM-603

Compatible with:
MY18/ MY17/MY16 Trinity Adv(Pro)/Avow Adv (Pro)



1.4 MY18 Contact Switch seatpost

DAMPER CARTRIDGE

Part #		Gear item No. #
1729-CONTAC-804	(ALLOY) 350MM (CONTACT SWITCH S)	150000075
1729-CONTAC-805	(ALLOY) 395MM (CONTACT SWITCH S)	150000076
1729-CONTAC-806	(ALLOY) 440MM (CONTACT SWITCH S)	150000077
1729-CONTAC-811	(STEEL) 350MM (CONTACT SWITCH)	
1729-CONTAC-812	(STEEL) 395MM (CONTACT SWITCH)	
1729-CONTAC-813	(STEEL) 440MM (CONTACT SWITCH)	




SEATPOST HEAD CLAMP KITS FOR MY18 CONTACT SL SWITCH

Part#	
1729-CONTAC-803	FOR CONTACT SWITCH S
1729-CONTAC-810	FOR CONTACT SWITCH



ACCESSORY LOCKRING KIT (FOR CONTACT SWITCH S & CONTACT SWITCH)

Part#	Description
1729-CONTAC-808	Include remote lever, cable barrel & cable, wire& connector



REMOTE KITS W/O OUTER CABLE (for 1x)

Part#	Description
1729-CONTAC-801	Include remote lever, cable barrel & cable, wire& connector



Compatible with:

MY18	Contact SL Switch seat post
------	-----------------------------

REMOTE KITS W/O OUTER CABLE (for 2 x)

Part#	Description
1729-CONTAC-802	Include remote lever, cable barrel & cable, wire& connector




Compatible with:

MY18	Contact SL Switch seat post
------	-----------------------------

Lower cap

Part#	Description
1729-CONTAC-809	Accessory bottom lock mount



Compatible with:

MY18	Contact SL Switch seat post
------	-----------------------------


1.5 Di2 battery holder set

Langma down tube battery holder kits (MY18 only)

In MY18, the original Di2 battery holder in ST will be replaced by new holder, DT type.

Part#
244-G18BTA-801

	Statement	Torque
MY18	Langma ADVSL 1	1.5 N·m



0. Preparation


The holder is black, and the sheet is silver. Please double check the sheet had already stuck into the battery holder.

電池座本體為黑色，金屬推片為銀色。組裝前請先確認金屬推片已經黏貼於電池座內部凹槽。

1. Cable Routing & Battery

Route all the cables first. The cable connecting with battery should go through the holder within BB space. After all the cable routings, let the battery go through the hole of BB guide into the holder, and use Allen key to tighten screw B to hold the battery end for the next step.



先組裝所有電線。與電池相接的電線，需於五通內穿越電池座再連結電池。將電池經由 BB 導板孔推進電池座，以六角扳手鎖螺絲 B，固定住電池尾端



2. Positioning

Take the battery with holder as a tool to find the position of hole on DT. When you have the holder come out of the hole, tighten screw C just couple threads with the cover to fix the position in advance.

以電池為輔助工具，帶著電池座尋找下管孔。電池座順利穿出孔洞時，預鎖上外蓋與螺絲 C 數牙，此步驟僅為預鎖定位，螺絲 C 不需完全鎖緊。




3. Battery Fixed & Covering

Loosen the screw B for pushing the battery into DT until the battery passing BB area totally, and then tighten screw B. (Please notice that no need to push the battery so hard; the battery just passing BB is the proper position.)

Finally, tighten screw C with the cover. Finish.

放鬆螺絲 B，將電池推入下管，直到電池整體通過 BB 區域即可，推入電池後再鎖緊螺絲 B。(不需將電池推入太深，剛好過 BB 是最適當的位置)

外蓋調好位置，蓋好電池座並鎖緊螺絲 C，完成組裝。




MY16 Trinity & Avow Adv Seat Post

TRI/AVOW AERO SP DI2 BATTERY HOLDER

Part#
1724-G16BTA-602

Statement	Torque
TRI ADV PRO/ AVOW ADV PRO	1.5 N-m

Top View




MY18/ MY17 TCR Variant Seat Post

Battery holder with 2 Slim rubbers Assembly method


Part#
1724-G16BTA-601

	Statement	Torque
MY17/ MY16	NEW VECTOR AERO SP/ISP DI2 BATTERY HOLDER W/MANUAL	1.5 N-m



Bottom View

25mm Rubber and blue expander stick together.

 15mm Rubber and light blue expander stick
together

TCR Adv SL ISP –Battery Holder

with 2 slim rubbers -Assembly method

Part#
1724-G16BTA-601

	Statement	Torque
MY17/ MY16	NEW VECTOR AERO SP/ISP DI2 BATTERY HOLDER W/MANUAL	1.5 N-m

Top view



25mm Rubber

15mm Rubber


 Put the battery holder ,
Battery and 2 slim rubber
in ISP .

Di2 battery holder set for Giant specified seat post:





Design to mount Shimano SM-BTR2 built-in battery to Giant specified seat post.

Part#
2450-G15BTS-504

- Use of parts
 - ①+②+③+④
 - a. Vector seat post
 - b. ~ MY15 TCR Advanced SL ISP (Vector shape)
 - ~ MY14 Defy Advanced SL ISP (Vector shape)
 - c. MY15 Defy Advanced SL ISP (D shape)
 - ①+②+③+⑤
 - d. Propel Advanced SL ISP
 - ①+②+③
 - e. D-Fuse seat post

Installation note:

- Recommended tightening torque: 1.5Nm
- Always pre-assemble ①+②+③ before insert the holder kit into seat post. Don't fasten the bolt ① too tight before installation.
- When installing the holder, laying ISP frame or seat post helps installation process easier, and avoid battery fall into ISP frame or fall onto the ground. Use soft materials to protect frame or seat post when laying frame or the seat post from possible paint chipped or damaged.



1.6 Brake parts

Speed Control brake :

Speed Control series brake is designed for **Propel/ Envie** model to provide the aerodynamic and optimum performance.

Front Brake	Pivot Bolts	Rear Brake
1411-TKB165-601	STL Bolt, W/Pad (for Al Rim)	1421-TKB166-601
1411-TKB165-602	STL Bolt, W/Pad (for Carbon Rim)	1421-TKB166-602
1411-TKB165-603	STL Bolt, WO/Pad	1421-TKB166-603
1411-TKB167-601	Titanium Bolt, W/Pad (for Al Rim)	1421-TKB168-601
1411-TKB167-602	Titanium Bolt, W/Pad (for Carbon Rim)	1421-TKB168-602
1411-TKB167-603	Titanium Bolt, WO/Pad	1421-TKB168-603

Speed Control brake :

Speed Control series brake is designed for **MY18/MY17 Trinity adv pro. AVOW adv pro** model to provide the aerodynamic and optimum performance.

Front Brake	Pivot Bolts	Rear Brake
1411-TKB163-601	Stainless Bolt, W/Pad (for Al Rim)	1421-TKB164-601
1411-TKB163-602	Stainless Bolt, W/Pad (for Carbon Rim)	1421-TKB164-602

Speed Control brake pad shoes set:

Part#	Brake Pad shoes set
1471-TKBBRA-501	Cartridge set (TKB142/143/163/165/166) For Alu rim
1471-TKBBRA-502	Cartridge set (TKB148/149/163/167/168) For Alu rim



Brake Accessory:

Part#	TKB165 LEAD PIPE 90D
1471-TKB165-801	



Speed Control brake pad shoes set for Trinity brake set

Part#		Model
1471-TKBBRA-701	Cartridge set (TKB164 BRAKE) For Alu rim	Trinity ADV Pro rear brake
1471-TKBBRA-702	BRAKE PAD SETS(2 SETS FOR 1 BRAKE) For TKB84-1 BRAKE(For Alu rim)	Trinity ADV front brake

Brake Pad for full carbon rim:


Part#	Brake Pad set
290000000	Brake Pad for full carbon rim

*Note: Above Brake Pad Part# is GBD part number.

1.7 FD TYPE

FD Adapter:

Item	Name	Part#
1	Adapter	1643-WG6400-001
2	Bolt	2110-TL206C-004
3	Bolt	2110-TL206C-004
1, 2, 3	Complete kits	12817G90001A1




Compatible with:

MY17	Anthem ADV / Trance ADV / XTC ADV 29/ XTC ADV+ / Pique ADV / Hail ADV
------	---

Plug without FD combination:

Item	Name	Part#
1	Plug	134-FRAMER-203
2	Plug	134-FRAMER-203



Compatible with:

MY17	Anthem ADV / Trance ADV / XTC ADV 29 / Pique ADV / Hail ADV
------	---


Cover without FD combination:

Item	Name	Part#
1	Cover	1346-CPDDMA-401



Plug with FD combination:

Item	Name	Part#
1	Stud cap	1472-CCN007-701
2	Stud cap (no FD)	1472-CCN009-S01



Compatible with:

MY17	XTC ADV 29
------	------------

Front Derailleur Hanger

Part#	
1643-WG24F0-001	

Compatible with:

MY18	AnyRoad ADV
------	-------------




1.8 Others Accessories

DT Bottle:

DOWNTUBE WATER BOTTLE W/CAGE FOR MY16 AVOW ADV PRO , same as Trinity;

Part#	Compatible with:
1822-TRINTY-605	MY18/ MY17 Trinity Adv Pro
1822-TRINTY-609	MY18/ MY17 Avow Adv Pro



Bento Box: TOP TUBE BENTO BOX FOR MY17 TRINITY ADV PRO/AVOW ADV PRO

Part#
1824-TRINTY-702



Compatible with:

MY17	Trinity Adv Pro / Avow Adv Pro
------	--------------------------------

Water Bottle set: STEM WATER BOTTLE DECORATE, SPACER, OUTER CAP AND INNER CAPX2, STRAW HOLDER, STRAW, FIX SET AND CAGE

Part#			
1822-TRINTY-801	MY18 Trinity Adv Pro	46(XS)	
1822-TRINTY-802	MY18 Trinity Adv Pro	49(S)	
1822-TRINTY-803	MY18 Trinity Adv Pro	51.5(M)	
1822-TRINTY-803	MY18 Trinity Adv Pro	54.5(L)	
1822-TRINTY-805	MY18 Avow Adv Pro	45(xxs)-51(s)	
1822-TRINTY-806	MY18 Avow Adv Pro	53(M)	


TCR ADV SL carbon headset cone spacer:

New cone spacer is made by carbon material, whole headsets are lighter.

Part#
1310-NO54AA-601

Compatible with:
MY18 Propel Adv(Pro)/ TCR Adv(Pro)/ Langma Adv(Pro)



1.9 Replaceable Dropout / Derailleur Hanger

Sliding Hanger For Derailleur

Part#	RE300 SLIDING HANGER KITS FOR DERAILLEUR
12818G90003A1	



Compatible with:

MY18 ALLTOUR / LAVIE / FastTour/ Lissom

Sliding Hanger For Hub Gear

Part#	RE300A SLIDING HANGER KITS FOR HUB GEAR
12818G90004A1	

Compatible with:



MY18 ALLTOUR / LAVIE / FastTour/ Lissom



Smart Rack Mount Flat


Part#	CARRIER RACK MOUNT KITS W/GIANT LOGO
12818G90001A1	

Part#	CARRIER RACK MOUNT KITS W/LIV LOGO
12818G90002A1	



Through axle:

Item	Name	Part#	Notes
1	Axle	1529-QR12AA-701	
1-1	Axle	1529-QR12AA-702	Only for XTC Adv 27.5+/29



Compatible with:


MY18 Anthem 29/ Anthem ADV 29/ Anthem ADV PRO 29/ Reign/ Reign ADV/ Pique/ Pique SX/ Pique ADV/ Hail/ Hail ADV

Hanger:

Part#	Item	Name	Notes
2124-NUTMC7-001	1	Nut	
1159-RE2700-001	2	Hanger	For Shimano direct mount RD only
1159-RE270A-001	2-1	Hanger	For Shimano/Sram traditional RD
2110-TL206C-004	3	Bolt	
2110-TL206C-004	4	Bolt	
1280GS804Y07C4		Complete kits ,consist of 1, 2-1, 3, 4,	

Compatible with:

MY18	Anthem 29/ Anthem ADV 29/ Anthem ADV PRO 29/ Reign/ Reign ADV/ Pique/ Pique SX/ Pique ADV/ Hail/ Hail ADV
------	---


ATX & ARX Hanger:

For 135mm OLD .

Part number
1159-RE9GA0-001

Compatible with:

MY17	ToughRoad/
MY18	ATX/ ARX


Rear Derailleur Hanger

For 142mm X D12mm Thru Axle

Part number
1159-RE2660-001

Compatible with:


MY18	AnyRoad ADV
------	-------------



Part#	Item	Name	Q'ty
12817G90003A1	1	Brake mount	1
	2	RC-Adj bolt (M4)	1
	3	Dropout washer	2
	4	Dropout M6 bolt	2
1529-QR12AA-702	5	Axle	1
12817G90002A1	6	Hanger	1
	7	Dropout nut	1
	2	RC-Adj bolt (M4)	1
	4	Dropout M6 bolt	1

Compatible with:

MY18 / MY17	XtC ADV 27.5 + / 29
-------------	---------------------



5/135mm OLD replaceable Dropout / Derailleur Hanger kit:


This kit is designed to easily convert your frame to be compatible with 5mm/135mm OLD close-type dropout system.

Part number

1280GS834609A1

Compatible with:

MY17/MY16	XtC ADV 27.5"/XtC 27.5"
MY17/MY16	Obsess ADV 27.5"



12/142mm OLD replaceable Dropout / Derailleur Hanger kit:

This kit is designed to easily convert your frame to be compatible with 12mm/142mm OLD close-type dropout system.

Part number

1280GS834609B1

Compatible with:

MY17/MY16	XtC ADV 27.5"/XtC SLR 27.5"
MY17/MY16	Anthem X Adv/29 Anthem X29



Glory series 12/150mm OLD replaceable Dropout / Derailleur Hanger kit:

This kit is designed to easily convert your frame to be compatible with 12mm/150mm OLD close-type dropout system on Glory ADV 27.5"/ Glory 27.5".

Part number

1280GS024512D8


Compatible with:

MY16	Glory ADV 27.5"/
MY17	Glory 27.5"




1.10 Giant Axle position adjustment:


Step 1:




Step 2:




Step 3:




Step 3 checking:




Step 4:



Step 5:




Step 6:



Step 7 (optional):

Re-adjust the brake (optional)



1.11 Giant Thru-axle

Flat mount disc:

Part#
1519-THRUAX-701

Compatible with:

MY18	Langma ADPRO 1 Disc/ TCR Disc/Defy/Avail/TCX/Brava
------	---

Description	Torque
GIANT THRU AXLE 100MM/O12MM 116.8MM ALLOY AXLE AND ALLOY LEVER	11 Nm

Front axle


Flat mount disc:

Part#
1529-THRUAX-701

Compatible with:




MY18	Langma ADPRO 1 Disc/TCR Disc/ Defy/ Avail/ TCX/ Brava
------	--

Description	Torque
GIANT THRU AXLE 142MM/O12MM 160.8MM ALLOY AXLE AND ALLOY LEVER	11 Nm

Rear axle

Giant Thru-axle SL:

These light weight Thru-axle is specially design for Giant TCX/Brava series model.

QR	Part#	Axele Ø	O.L.D. Length	Material	
				Lever	Axle
Front	1519-SPOCGI-501	15mm	100mm	Carbon	Titanium
Front	1519-SPOCGI-502	15mm	100mm	Aluminum	Steel
Rear	1529-SPOCGI-501	5mm	135mm	Carbon	Titanium
Rear	1529-SPOCGI-502	5mm	135mm	Aluminum	Steel

Front QR :

Rear QR :


Step 1: Fasten lock nut onto dropout at right fork leg to hand tight.

Step 2: Fit lock nut bolt and fasten to the lock nut.


Tool: M2 Allen key
NOTE: Do not exceed the maximum torque: 1.5 Nm

Step 3: Install and fix the wheel.

- 1 Thread skewer through left dropout till touching right dropout.
- 2 Turn the Thru-axle lever clockwise to fasten the wheel. Refer Wheel section in the bicycle owner's manual.


1.12 MY18 Anthem ADV PRO/ Reign ADV

- Clip and cable holder (Live suspension system)




item	name	Part number	Notes
1	clip	147-9109-7	Anthem ADV PRO 29/Reign ADV
2	bolt	2110-CP041A-029	Anthem ADV PRO 29/Reign ADV
3	Cable holder	1471-CCZ101-701	Anthem ADV PRO 29/Reign ADV

- Plug (without Live suspension system)



Item	name	Part number	Notes
1	plug	1472-PLUGIN-702	Anthem ADV PRO/Anthem Adv 29/Reign ADV
2	plug	1346-WL9202-401	Anthem ADV PRO 29/Anthem Adv 29/Reign ADV
3	plug	1472-CCN079-801	Anthem ADV PRO 29/Reign ADV/Reign
4	plug	134-FRAMER-203	Anthem ADV PRO 29/Reign ADV/Reign
5	plug	1346-WL9202-401	Anthem ADV PRO 29/Reign ADV/Reign

1.13 MY18 Langma ADV SL/ ADV PRO – Mechanical




No.	Part Name	Part No. (GTM)	Qty.	Note	Torque (N · m)
1	Contact SLR Flux	1330-CONTFL-80*	1	New SLR composite stem	TBD
2	DT cable stopper	1630-LANGMA-801/ 1630-LANGMA-802	1	801 for the left side; 802 for the right side	1.5
3	FD adapter	1643-WG3400-01	1	Same as TCR. For ISP type.	-
4	FD adapter	1643-WG6600-801	1	Updated from 1643-WG39 For regular ST.	-
5	ISP saddle clamp	1725-G6SD01-601	1	Same as TCR	-
6	ISC clamp	1722-G16SC1-601	1	Same as TCR	7
7	ST cover	1724-SPSHIM-602	1	Same as TCR	-
8	Seat post	1721-G16SP1-601	1	Same as TCR	-
9	BB guide	1640-WG6200-601	1	Same as TCR	-
10	Dropout hanger	1159-RECL00-001	1	Same as TCR	1.5
11	Cap for Di2 hole	1346-WL9202-401	2	Same as TCR	
12	Plug for Ride sensor	134-SENSOR-202	1	-	-
13	RD cable	1630-CM246B-201	1	Same as TCR	-
14	TT cable guide	1472-CBLSTP-601	2	Same as TCR	1.5

[Small box: electronic upgrade parts]

A	DT cable cover	1472-LANGMA-801/ 1472-LANGMA-802	1	1 set including a right and a left cover	1.5
B	Plug for Di2	1472-GROMET-02	2	Same as TCR	-
C	RD rubber for Di2	1471-CCG053-201	1	Same as TCR	-
D	Di2 Battery holder	1724-G16BTA-601	1	Same as TCR	-
E	Plug for E-tap	1346-CCN081-801	1	For covering the cable hole	-

1.14 MY18 Langma ADV SL/ ADV PRO – E-tap . Di2




No.	Part Name	Part No. (GTM)	Qty.	Note	Torque
1	Contact SLR Flux	1330-CONTFL-80*	1	New SLR composite stem	-
A	DT cable cover	1472-LANGMA-801/ 1472-LANGMA-802	1	801 for the left side/ 802 for the right side	1.5
3	FD adapter	1643-WG3400-01	1	Same as TCR. For ISP type.	-
4	FD adapter	1643-WG6600-801	1	Updated from 1643-WG39 For regular ST.	-
5	ISP saddle clamp	1725-G6SD01-601	1	Same as TCR	-
6	ISC clamp	1722-G16SC1-601	1	Same as TCR	7
7	ST cover	1724-SPSHIM-602	1	Same as TCR	-
8	Seat post	1721-G16SP1-601	1	Same as TCR	-
9	BB guide	1640-WG6200-601	1	Same as TCR	-
10	Dropout hanger	1159-RECL00-001	1	Same as TCR	1.5
B	Plug for Di2	1472-GROMET-02	2	Same as TCR	-
12	Plug for Ride sensor	134-SENSOR-202	1	-	-
C	RD rubber for Di2	1471-CCG053-201	1	Same as TCR	-
14	TT cable guide	1472-CBLSTP-601	2	Same as TCR	1.5
D	Di2 Battery holder	1724-G16BTA-601	1	Same as TCR	-
E	Plug for E-tap	1346-CCN081-801	1	For covering the cable hole	

[Mechanical parts]

2	DT cable stopper	1630-LANGMA-801/ 1630-LANGMA-802	1	1 set including a right and a left stopper	1.5
11	Cap for Di2 hole	1346-WL9202-401	2	Same as TCR	
13	RD cable	1630-CM246B-201	1	Same as TCR	-

1.15 MY18 Langma ADV PRO Disc– Mechanical




No.	Part Name	Part No. (GTM)	Qty.	Note	Torque (N · m)
1	Contact SLR Flux	1330-CONTFL-ooo	1	New SLR composite stem	-
2	DT cable stopper	1630-LANGMA-801 1630-LANGMA-802	1	801 for the left side 802 for the right side	1.5
4	FD adapter	1643-WG6600-801	1	Updated from 1643-WG39 For regular ST.	-
6	ISC clamp	1722-G16SC1-601	1	Same as TCR	7
7	ST cover	1724-SPSHIM-602	1	Same as TCR	-
8	Seat post	1721-G16SP1-601	1	Same as TCR	-
9	BB guide	1640-WG6200-601	1	Same as TCR	-
11	Cap for Di2 hole	1346-WL9202-401	2	Same as TCR	
12	Plug for Ride sensor	134-SENSOR-202	1	-	-
13	RD cable	1630-CM246B-201	1	Same as TCR	-
15	Thru axle hanger	1159-RE2660-001	1	Same as TCR	-
16	Plug for Disc at CS	1472-PLUGIN-714	1	Same as TCR	-
17	Plug for Disc at DT	1472-OILRUB-401	1	Same as TCR	-

[Small Box:Di2 upgrade parts]

A	DT cable cover	1472-LANGMA-801/ 1472-LANGMA-802	1	1 set including a right and a left cover	1.5
B	Plug for Di2	1472-GROMET-02	2	Same as TCR	-
C	RD rubber for Di2	1471-CCG053-201	1	Same as TCR	-
D	Di2 Battery holder	1724-G16BTA-601	1	Same as TCR	-

1.16 MY18 Langma ADV PRO Disc – Di2




No.	Part Name	Part No. (GTM)	Qty.	Note	Torque
1	Contact SLR Flux	1330-CONTFL-ooo	1	New SLR composite stem	-
A	DT cable cover	1472-LANGMA-801/ 1472-LANGMA-802	1	801 for the left side 802 for the right side	1.5
4	FD adapter	1643-WG6600-801	1	Updated from 1643-WG39 For regular ST.	-
6	ISC clamp	1722-G16SC1-601	1	Same as TCR	7
7	ST cover	1724-SPSHIM-602	1	Same as TCR	-
8	Seat post	1721-G16SP1-601	1	Same as TCR	-
9	BB guide	1640-WG6200-601	1	Same as TCR	-
B	Plug for Di2	1472-GROMET-02	2	Same as TCR	-
12	Plug for Ride sensor	134-SENSOR-202	1	-	-
C	RD rubber for Di2	1471-CCG053-201	1	Same as TCR	-
15	Thru axle hanger	1159-RE2660-001	1	Same as TCR	-
16	Plug for Disc at CS	1472-PLUGIN-714	1	Same as TCR	-
17	Plug for Disc at DT	1472-OILRUB-401	1	Same as TCR	-
D	Di2 Battery holder	1724-G16BTA-601	1	Same as TCR	-

[Mechanical parts]

2	DT cable stopper	1630-LANGMA-801/ 1630-LANGMA-802	1	1 set including a right and a left stopper	1.5
11	Cap for Di2 hole	1346-WL9202-401	2	Same as TCR	
13	RD cable	1630-CM246B-201	1	Same as TCR	-

1.17 MY18 Langma ADV & Langma ADV Pro- OD1&OD2 cone sets



Stem and Spacers

No.	Part No. (GTM)	Part Name	Note
18	1310-LANGMA-802 1310-LANGMA-804	OD2 composite cone set	802 for matt black 804 for gloss black
19	1310-LANGMA-803 1310-LANGMA-805	OD1 composite cone set	803 for matt black 805 for gloss black
20	1310-LANGMA-801	Covering rubber	For Contact SL Stem
21	131C-LANGMA-801 (801,802,...,806)	OD2 composite spacers	5mm, 7mm, 10mm Matt black or gloss black
22	131C-LANGMA-807 (807,808,...,812)	OD1 composite spacers	5mm, 7mm, 10mm Matt black or gloss black
23	131C-LANGMA-813 131C-LANGMA-814	Transition spacer (6mm)	813 for matt black 814 for gloss black




1.18 MY18 Langma ADV & Langma ADV Pro- CONTACT SLR FLUX STEM

No.	Part No. (GTM)	Part Name
24	1330-CONTFL-801 (801,802,...,806)	CONTACT SLR FLUX stem (70mm, 80mm, 90mm, 100mm, 110mm, 120mm)
25	1331-LANGMA-802	Top cap for FLUX stem

CONTACT SLR FLUX STEM


For Langma, **NO NEED** to assemble this ring when you use Langma cone spacers.
This ring is for other models which use round cone spacers.

1.19 MY18 Propel Adv SL Disc & Adv Pro Disc –Mechanical




No.	P/N	Statement	QTY	Note.
1	1472-CM370A-801	CM370 ALLOY CAP W/1000MM BLK INNER PIPE , 180MM STL GUIDE PIPE	1	-
2	1643-WG6600-801	WG66 A6066-T6 ANOD BLK W/M5X0.8X15L-2PC STL BOLT FOR LANGMA ADV	1	-
3	1346-WL9202-401	CAP FOR SEAT TUBE DI2 HOLE (WL-9202-6)	1	-
4	1640-WG6200-601	WG62 BB GUIDE FOR MY16 TCR ADV SL/TCR ADV W/ BOLT	1	-
5	1630-CM246B-201	CM246B D6.5 DERAILLEUR CABLE STOPPER(C/S)	1	-
6	1159-RE2660-001	RE266 A7005-T6 FOR MY17-TCR ADV PRO DISC	1	1.5Nm
7	1472-CCN089-801	CCN089EB 33.6X14.3MM EPDM PLUG(FOR MY18 PROPEL DISC)	2	
8	1724-SPSHIM-803	PROPEL SEATPOST WATERPROOF RUBBER SEAL	1	
9	1722-G8SC01-801	G8SC01 ISC CLAMP W/M5 STL BOLT	1	7Nm
Di2 Upgrade parts [put in small box]				
A	1472-CM373B-801	CM373B BK RUBBER CAP TOP TUBE(PROPEL)	1	-
B	1472-GROMET-02	GROMMET FOR EW-SD50, SM-GM01, (6MMCIRCLE), BULK	1	-
C	1471-CCG053-201	CCG053N 8.5MMX17MM D2.8MM/3.7MM RUBBER	1	-
D	134-SENSOR-202	RIDESENSOR PLUG CHAIN STAY IN PVC BAG	1	-
E	1724-G15BTP-503	PROPEL ISP INTERNAL SEATPOST DI2 BATTERY HOLDER W/MANU	1	-

1.20 MY18 Propel Adv SL Disc & Adv Pro Disc – Di2




No.	P/N	Statement	QTY	Note.
1	1472-CM373B-801	CM373B BK RUBBER CAP TOP TUBE(PROPEL)	1	
2	1643-WG6600-801	WG66 A6066-T6 ANOD BLK W/M5X0.8X15L-2PC STL BOLT FOR LANGMA ADV	1	-
3	1472-GROMET-02	GROMMET FOR EW-SD50, SM-GM01, (6MMCIRCLE), BULK	1	
4	1640-WG6200-601	WG62 BB GUIDE FOR MY16 TCR ADV SL/TCR ADV W/ BOLT	1	-
5	1471-CCG053-201	CCG053N 8.5MMX17MM D2.8MM/3.7MM RUBBER	1	-
6	1159-RE2660-001	RE266 A7005-T6 FOR MY17-TCR ADV PRO DISC	1	1.5Nm
7	1472-CCN089-801	CCN089EB 33.6X14.3MM EPDM PLUG(FOR MY18 PROPEL DISC)	2	
8	1724-SPSHIM-803	PROPEL SEATPOST WATERPROOF RUBBER SEAL	1	
9	1722-G8SC01-801	G8SC01 ISC CLAMP W/M5 STL BOLT	1	7Nm
Di2 Upgrade parts [put in small box]				
A	1472-CM370A-801	CM370 ALLOY CAP W/1000MM BLK INNER PIPE , 180MM STL GUIDE PIPE	1	-
B	1346-WL9202-401	CAP FOR SEAT TUBE DI2 HOLE (WL-9202-6)	1	-
C	1630-CM246B-201	CM246B D6.5 DERAILLEUR CABLE STOPPER(C/S)	1	-
D	134-SENSOR-202	RIDESENSOR PLUG CHAIN STAY IN PVC BAG	1	-
E	1724-G15BTP-503	PROPEL ISP INTERNAL SEATPOST DI2 BATTERY HOLDER W/MANU	1	-

1.21 MY18 Propel Adv SL Disc & Adv Pro Disc




	Part Number		Part Number
Carbon handlebar 440	1321-CONTSR-812	Al stem 100	1330-CONTSL-812
Carbon handlebar 420	1321-CONTSR-811	Al stem 90	1330-CONTSL-811
Carbon handlebar 400	1321-CONTSR-810	Al stem 80	1330-CONTSL-810
Al handlebar 440	1321-CONTAC-812	Stem cover 120	133F-CONTAC-805
Al handlebar 440	1321-CONTAC-811	Stem cover 110	133F-CONTAC-804
Al handlebar 440	1321-CONTAC-810	Stem cover 100	133F-CONTAC-803
Carbon stem 120	1330-CONTSR-805	Stem cover 90	133F-CONTAC-802
Carbon stem 110	1330-CONTSR-804	Stem cover 80	133F-CONTAC-801
Carbon stem 100	1330-CONTSR-803	Top cap	1331-G8SC01-801
Carbon stem 90	1330-CONTSR-802	5mm spacer	1319-318OD2-802
Carbon stem 80	1330-CONTSR-801	2.5mm spacer	1319-318OD2-801
Al stem 120	1330-CONTSL-814	cone spacer	1319-318OD2-803
Al stem 110	1330-CONTSL-813		

1.22 MY18/ MY17 Avow ADV Pro Handlebar parts combination chart




No.	Name	AS SKU#	QTY.	TORQUE (N · m)
1	Main Bar (painted)	MY18Avow ADPRO 0: 13218OB0014A1 MY18Avow ADPRO 1: 13218OB0015A1	1	
2	Rest Bar (painted)		1	
7	Plug	13218OB0016A8	2	
3-1	Rest Bar mount		1	
3-2	Rest Bar clamp		2	
3-3	Support mount	13218OB0009A3	1	
3-4	Support slider		2	
9	Socket flat head screw(M6x12)		2	6N · m
12	Socket flat head screw(M5x20)		4	3N · m
4-1.4-1	Spacer 10.20.30mm	13218OB0010A4	12	
5-1.5-2	Arm rest (L+R)		L+R	
6	Arm rest pad (L+R)	13218OB0011A1	L+R	
10	Socket flat head screw(M5x10)		4	3N · m
6	Arm pad set (L+R)	13218OB0012A9	L+R	
8	Washer		4	
9	Socket flat head screw(M6x12)			
10	Socket flat head screw(M5x10)	13218OB0013A6		
11	Screw(M5x30 .40 .50 .60 .70 .80)		4	6N · m
12	Screw(M5x60)		4	6N · m
13	Extension clamp bolt washer		4	

1.23 MY18 / MY17 Avow ADV Pro Stem/ Base bar Parts Assembly Chart




No.	Name	AS SKU#	Specification	Qty	TORQUE (N · m)
1	Headset compression bolts	164P-TP263A-801	M6X30	1	6 Nm
2	Upper stem bolts		M5X15	2	6 Nm
4-1	Stem bolts Front		M5X25	2	6 Nm
4-2	Stem bolts Rear		M5X35	2	6 Nm
5-1	Stem bolts		M5X10	2	6 Nm
5-2	Stem bolts for bottle		M5X15	1	6 Nm
3	Upper stem	1330-TP263A-801	-	1	
6	lower stem	1330-TP263A-802	-	1	
7	Stem spacer	1319-ADAPTR-601	STEM BOTTEOM SPACER H=25.2MM		
7	Stem spacer	1319-ADAPTR-602	STEM BOTTEOM SPACER H=51.4MM		
8	lower stem bolt/ Stem spacer bolt	164P-TP263A-802	M5X10 tapered	5	3 Nm
9	Stem spacer bolt- (For stem bottle cage)		M5X15 tapered	1	3 Nm
10	Upper stem center bolt	1330-TP263A-803	M5X70	1	6 Nm
11-1	Reach spacer #80		For 80mm stem length	2	
11-2	Reach spacer #88		For 88mm stem length	2	
12	Stem clamp			1	

1.24 MY18 Trinity ADV Pro Stem/ Base bar Parts Assembly Chart



Item	Specification	Qty	Torque
[1] Headset compression bolts	M6X30	1	6 Nm
[2] Upper stem bolts	M5X15	2	6 Nm
[10] Normal stem	Normal	1	
[3] Upper stem	Add 30mm	1	
[4] Stem bolts	M5X25	2	6 Nm
	M5X35 (w/o stem bottle)	1	3 Nm
	M5X45 (w/ stem bottle)	1	3 Nm
[5] Handlebar bolt	M4X25	1	4 Nm
[6] Lower stem	-	1	-
[7] Stem spacer	XS size	-	
	S size (H:25.2mm) SKU#1319-ADAPTR-601	1	
	M size(H:51.4mm) SKU#1319-ADAPTR-602	1	
	L size (H:25.2mm& H:51.4mm)	1	
[8] Lower stem bolts	M5X10 tapered	2	3 Nm
	M5X15 tapered	1	3 Nm
[9] Stem spacer bolts	M5X10 tapered	2	3 Nm
Part number	Description	Content	
1331-TP261A-801	TP261 STEM B.BLK TOP BODY (Trinity ADV Pro)	⑩	
1330-TP294A-801	TP294 STEM B.BLK 2-PC(TOP BODY+BOTTOM BODY)(FOR Trinity ADV Pro) W/BOLT	(3)+(6)+(1)+(2) +(4)+(5)+(8)	
1330-TP261A-601	TP261 STEM B.BLK 2-PC(TOP BODY+BOTTOM BODY)(FOR Trinity ADV Pro) W/BOLT	(10)+(6)+(1)+(2) +(4)+(5)+(8)	


1.25 MY18/ MY17 Trinity ADV Pro Cockpit Parts Assembly Chart



Parts	AS Parts #	Specification	Q'ty
[1] Arm rest pad	13217OB0007A1		2
[2] Arm rest cradle	13217OB0006A1	Set: Left & Right sides are both included	1
[3] Arm extension	13217OB0012A1 13217OB0014A1 13218OB0017A1 13218OB0018A1	MY17 TRI ADV PRO 0 : 13217OB0012A1 MY17 TRI ADV PRO 1&2 : 13217OB0014A1 MY18 TRI ADV PRO 0 : 13218OB0017A1 MY18 TRI ADV PRO 1&2 : 13218OB0018A1	2
[4] Extension clamp	13217OB0009A1	Set: Left & Right sides are both included	1
[5] Bridge	13217OB0008A1		1
[6] Tear drop spacer		10mm	4
		20mm	4
		30mm	4
[7] Base bar	13217OB0011A1 13217OB0013A1 13218OB0019A1 13218OB0020A1	MY17 TRI ADV PRO 0 : 13217OB0011A1 MY17 TRI ADV PRO 1&2 : 13217OB0013A1 MY18 TRI ADV PRO 0 : 13218OB0019A1 MY18 TRI ADV PRO 1&2 : 13218OB0020A1	1
[8] Armrest bolt	13217OB0010A1 (For Extension clamp bolts, there will be 4 pieces for each combinations of spacers, totally 24 pieces bolts.)	M5X8 tapered	4
[9] Extension plug			2
[10] Handlebar ring			4
[11] Bolt washers			4
[12] Handlebar plug		Front	2
		Rear	2
		M5X90 (w/ Tear drop spacer H:60)	4
		M5X80 (w/ Tear drop spacer H:50)	
		M5X70 (w/ Tear drop spacer H:40)	
		M5X60 (w/ Tear drop spacer H:30)	
		M5X50 (w/ Tear drop spacer H:20)	
[13] Extension clamp bolts		M5X40 (w/ Tear drop spacer H:10)	




2. Cable routing path

2.1. MY18 Anthem 29/ Reign



2.2. MY18 Anthem Adv 29/ Reign Adv


- R.D. cable
- R.B. cable
- Dropper s/p. cable
- Remote lockout shock cable






2.3. MY18 Anthem Adv Pro 29/ Reign Adv

-LIVE suspension system

- R.D. cable
- R.B. cable
- Dropper s/p. cable
- Wire: front fork accelerometer
- Wire: front fork solenoid valve
- Wire: rear shock solenoid valve
- Wire: rear accelerometer



2.4. MY18 Talon/ Talon 29




If no dropper seatpost,
please change the plug (one
hole).





2.5. MY18 FastTour / Lissom


-Cable Routing




Detail A




Detail B



Detail C



-FORK CABLE ROUTING



-ELECTRIC CABLE ROUTING




SMART RACK MOUNT



OB integrated Rack	Smart Mounting Cap Keep clean outlook Without Rack	Smart Mounting Cap Switch R&L to match All rack in market

2.6. MY18 ALLTOUR / LaVie


-Cable Routing




Detail A



Detail B



Detail C



- Electric Cable Routing



-SMART RACK MOUNT



OB integrated Rack




Smart Mounting Cap
Keep clean outlook
Without Rack




Smart Mounting Cap
Switch R&L to match
All rack in market


2.7. MY18 AnyRoad ADV




Detail A




Detail B



Detail C




FORK CABLE ROUTING




2.8. MY18 FastTour / Lissom


- Cable Routing




Detail A




Detail B



Detail C



FORK CABLE ROUTING



-Electric Cable Routing



-Smart Rack Mount





OB integrated Rack

Smart Mounting Cap
Keep clean outlook
Without Rack

Smart Mounting Cap
Switch R&L to match
All rack in market

2.9. MY18 ATX & ARX



Yellow: rear brake

Green: rear shifting

Red: front shifting

2.10. MY18 ToughRoad GX

X - Defender System

- Cable routing
- DT protector/ fender




X - Defender System Extend


- Dt Fender




Rack Mount System



2.11. MY18 Pique / Hail cable routing




2.12. MY18 Pique ADV / Hail ADV cable routing




2.13. MY18 Langma ADV/ ADV PRO –Mechanical

-  Rear brake
-  Rear shifting
-  Front shifting




2.14. M18 Langma ADV/ ADV PRO Disc –Mechanical

-  Rear brake
-  Rear shifting
-  Front shifting




3. Rear Frame Linkages Parts BOM

3.1. MY18 Anthem




Part	Ref.	MY18 Anthem 1	MY18 Anthem 2A	MY18 Anthem 2B
Rock arm set	6	1280GS804Y01Z1	1280GS804Y01W5	1280GS804Y01X3
Rock Arm bolts kit	8+10+11	1280GS804Y03B7	1280GS804Y03B7	1280GS804Y03B7
Lower linkage unit	7	1280GS804Y02Z7	1280GS804Y02W2	1280GS804Y02X0
Lower linkage bolts kit	9+13	1280GS804Y04B4	1280GS804Y04B4	1280GS804Y04B4
Rear shock bolts kit	8+9	1280GS804Y05B1	1280GS804Y05B1	1280GS804Y05B1
Pivot bolt kit	11+13	1280GS804Y06B9	1280GS804Y06B9	1280GS804Y06B9
Part	Ref.	MY18 Anthem 3	MY18 Anthem 3 GE	
Rock arm set	6	1280GS804Y01Y1	1280GS804Y01Y1	
Rock Arm bolts kit	8+10+11	1280GS804Y03B7	1280GS804Y03B7	
Lower linkage unit	7	1280GS804Y02Y9	1280GS804Y02Y9	
Lower linkage bolts kit	9+13	1280GS804Y04B4	1280GS804Y04B4	
Rear shock bolts kit	8+9	1280GS804Y05B1	1280GS804Y05B1	
Pivot bolt kit	11+13	1280GS804Y06B9	1280GS804Y06B9	

3.2. MY18 Anthem ADV




Part	Ref.	MY18 Anthem ADV 0	MY18 Anthem ADV 1	MY18 Anthem ADV 2
Rock arm set	6	1280GS801B01B6	1280GS801B01C4	1280GS801B01A8
Rock Arm bolts kit	8+10+11	1280GS801B03B0	1280GS801B03B0	1280GS801B03B0
Lower linkage unit	7	1280GS801B02B3	1280GS801B02C1	1280GS801B02A5
Lower linkage bolts kit	9+13	1280GS804Y04B4	1280GS804Y04B4	1280GS804Y04B4
Rear shock bolts kit	8+9	1280GS804Y05B1	1280GS804Y05B1	1280GS804Y05B1
Pivot bolt kit	11+13	1280GS804Y06B9	1280GS804Y06B9	1280GS804Y06B9

3.3. MY18 Anthem 29




Part	Ref.	MY18 Anthem 29 1	MY18 Anthem 29 1 GE	MY18 Anthem 29 1 GI
Rock arm set	6	1280GS805001A5	1280GS805001A5	1280GS805001A5
Rock Arm bolts kit	8+10+11	1280GS804Y03B7	1280GS804Y03B7	1280GS804Y03B7
Lower linkage unit	7	1280GS805002A2	1280GS805002A2	1280GS805002A2
Lower linkage bolts kit	9+13	1280GS805004A7	1280GS805004A7	1280GS805004A7
Rear shock bolts kit	8+9	1280GS804Y05B1	1280GS804Y05B1	1280GS804Y05B1
Pivot bolt kit	11+13	1280GS805006A1	1280GS805006A1	1280GS805006A1
Part	Ref.	MY18 Anthem 29 2	MY18 Anthem 29 3	
Rock arm set	6	1280GS805001B3	1280GS805001C1	
Rock Arm bolts kit	8+10+11	1280GS804Y03B7	1280GS804Y03B7	
Lower linkage unit	7	1280GS805002B0	1280GS805002C9	
Lower linkage bolts kit	9+13	1280GS805004A7	1280GS805004A7	
Rear shock bolts kit	8+9	1280GS804Y05B1	1280GS804Y05B1	
Pivot bolt kit	11+13	1280GS805006A1	1280GS805006A1	

3.4. MY18 Anthem ADV 29




Part	Ref.	MY18 Anthem ADV 29 1
Rock arm set	6	1280GS801D01A9
Rock Arm bolts kit	8+10+11	1280GS801D03A3
Lower linkage unit	7	1280GS805002A2
Lower linkage bolts kit	9+13	1280GS805004A7
Rear shock bolts kit	8+9	1280GS804Y05B1
Pivot bolt kit	11+13	1280GS805006A1

3.5. MY18 Anthem ADV PRO 29




Part	Ref.	MY18 Anthem ADPRO 29 0	MY18 Anthem ADPRO 29 1
Rock arm set	6	1280GS800301A9	1280GS800301B7
Rock Arm bolts kit	8+10+11	1280GS801B03B0	1280GS801B03B0
Lower linkage unit	7	1280GS800302A6	1280GS800302A6
Lower linkage bolts kit	9+13	1280GS805004A7	1280GS805004A7
Rear shock bolts kit	8+9	1280GS804Y05B1	1280GS804Y05B1
Pivot bolt kit	11+13	1280GS805006A1	1280GS805006A1

3.6. MY18 Reign



Part	Ref.	REIGN 1	REIGN 1.5 GE/2-B	Reign 2 -A	Reign SX
Rock arm set	6	1280GS034H01C1	1280GS034H01E1	1280GS034H01D1	1280GS034H01F1
Rock arm kit	6+8+10+11	1280GS034H02C1	1280GS034H02E1	1280GS034H02D1	1280GS034H02F1
Rock Arm bolts kit	8+10+11	1280GS034H03A1	1280GS034H03A1	1280GS034H03A1	1280GS034H03A1
Lower linkage unit	7	1280GS034H04C1	1280GS034H04E1	1280GS034H04D1	1280GS034H04F1
Lower linkage kit	7+9	1280GS034H05C1	1280GS034H05E1	1280GS034H05D1	1280GS034H05F1
Lower linkage bolts kit	9+13	1280GS034H06A1	1280GS034H06A1	1280GS034H06A1	1280GS034H06A1
Rear shock bolts kit	8+9	1280GS034H07A1	1280GS034H07A1	1280GS034H07A1	1280GS034H07A1
Pivot bolt kit	11+13	1280GS034H08A1	1280GS034H08A1	1280GS034H08A1	1280GS034H08A1

3.7. MY18 Reign ADV




Part	Ref.	Reign ADV 0	Reign ADV 1	Reign ADV-FR
Rock arm set	6	1280GS034H01G1	1280GS034H01H1	1280GS034H01I1
Rock arm kit	6+8+10+11	1280GS034H02G1	1280GS034H02H1	1280GS034H02I1
Rock Arm bolts kit	8+10+11	1280GS034H03B1	1280GS034H03B1	1280GS034H03B1
Lower linkage unit	7	1280GS034H04G1	1280GS034H04H1	1280GS034H04I1
Lower linkage kit	7+9+13	1280GS034H05G1	1280GS034H05H1	1280GS034H05I1
Lower linkage bolts kit	9+13	1280GS034H06A1	1280GS034H06A1	1280GS034H06A1
Rear shock bolts kit	8+9	1280GS034H07A1	1280GS034H07A1	1280GS034H07A1
Pivot bolt kit	11+13	1280GS034H08A1	1280GS034H08A1	1280GS034H08A1

3.8. MY18 Embolden

使用車種: Embolden

鎖 緊 扭 力	P	120-150	Kgf-cm
	O	90-110	




Part	Ref.	Embolden 1	Embolden 2
Rock arm set		1280GSB43102E1	1280GSB43102D1
Rock Arm bolts kit	8+10+11	1280GSB43104A1	1280GSB43104A1
Rock arm kit	Rock arm+8+10+11	1280GSB43103E1	1280GSB43103D1
Lower linkage unit	-	-	-
Lower linkage bolts kit	-	-	-
Lower linkage kit	-	-	-
Rear shock bolts kit	8+9	1280GSB43101A1	1280GSB43101A1
Pivot bolt kit	-	-	-
R.FRAME bolt kit	9+11	1280GSB43105A1	1280GSB43105A1

3.9. MY18 Stance


使用車種: Stance

鎖 緊 扭 力	P	120-150	Kgf-cm
	O	90-110	




Part	Ref.	Stance 1	Stance 2
Rock arm set		1280GSB43002L1	1280GSB43002K1
Rock Arm bolts kit	8+10+11	1280GSB43004A1	1280GSB43004A1
Rock arm kit	Rock arm+8+10+11	1280GSB43003L1	1280GSB43003K1
Lower linkage unit	-	-	-
Lower linkage bolts kit	-	-	-
Lower linkage kit	-	-	-
Rear shock bolts kit	8+9	1280GSB43001A8	1280GSB43001A8
Pivot bolt kit	-	-	-
R.FRAME bolt kit	9+11	1280GSB43005A7	1280GSB43005A7

3.10. MY18 Hail




Part	Ref.	MY18 HAIL 1	MY18 HAIL 2
Rock arm set	6	1280GS834B01C1	1280GS834B01D1
Rock Arm bolts kit	8+10+11	1280GS834B03A1	1280GS834B03A1
Lower linkage unit	7	1280GS834B04C1	1280GS834B04D1
Lower linkage bolts kit	12+13	1280GS834B06A1	1280GS834B06A1
Rear shock bolts kit	8+12	1280GS834B07A1	1280GS834B07A1
Pivot bolt kit	11+13	1280GS834B08A1	1280GS834B08A1

3.11. MY18 Hail ADV




Part	Ref.	MY18 HAIL ADV 0	MY18 HAIL ADV 1
Rock arm set	6	1280GS831311A1	1280GS831311B1
Rock Arm bolts kit	8+10+11	1280GS831303A1	1280GS831303A1
Lower linkage unit	7	1280GS831312A1	1280GS831312B1
Lower linkage bolts kit	12+13	1280GS831306A1	1280GS831306A1
Rear shock bolts kit	8+12	1280GS831307A1	1280GS831307A1
Pivot bolt kit	11+13	1280GS831308A1	1280GS831308A1

3.12. MY18 Trance




Part	Ref.	TRANCE 1	TRANCE 1 GE	TRANCE 1 .5 GE TRANCE 2 (A)	TRANCE 2(B) /TRANCE 2 GE (B)
Rock arm set	6	1280GS834A11E1	1280GS834A11F1	1280GS834A11A3	1280GS834A11B1
Rock Arm bolts kit	8+10+11	1280GS834A03B1	1280GS834A03B1	1280GS834A03B1	1280GS834A03B1
Lower linkage unit	7	1280GS834A12E1	1280GS834A12F1	1280GS834A12A1	1280GS834A12B1
Lower linkage bolts kit	12+13	1280GS834A06B1	1280GS834A06B1	1280GS834A06B1	1280GS834A06B1
Rear shock bolts kit	8+12	1280GS834A07B1	1280GS834A07B1	1280GS834A07B1	1280GS834A07B1
Pivot bolt kit	11+13	1280GS834A08B1	1280GS834A08B1	1280GS834A08B1	1280GS834A08B1
Part	Ref.	TRANCE 2 GE (A)	TRANCE 3 (A) / TRANCE 3 GE (A)	TRANCE 3 (B)/ TRANCE 3 GE (B)/ TRANCE 4	MY18 TRANCE -FR
Rock arm set	6	1280GS834A11G1	1280GS834A11C1	1280GS834A11D1	1280GS834A11E1
Rock Arm bolts kit	8+10+11	1280GS834A03B1	1280GS834A03B1	1280GS834A03B1	1280GS834A03B1
Lower linkage unit	7	1280GS834A12G1	1280GS834A12C1	1280GS834A12D1	1280GS834A12E1
Lower linkage bolts kit	12+13	1280GS834A06B1	1280GS834A06B1	1280GS834A06B1	1280GS834A06B1
Rear shock bolts kit	8+12	1280GS834A07B1	1280GS834A07B1	1280GS834A07B1	1280GS834A07B1
Pivot bolt kit	11+13	1280GS834A08B1	1280GS834A08B1	1280GS834A08B1	1280GS834A08B1

3.13. MY18 Trance ADV




Part	Ref.	TRANCE ADV 0 /TRANCE ADV-TR	TRANCE ADV 1	TRANCE ADV 2
Rock arm set	6	1280GS831211A1	1280GS831211B1	1280GS831211C1
Rock Arm bolts kit	8+10+11	1280GS831203B1	1280GS831203B1	1280GS831203B1
Lower linkage unit	7	1280GS831212A1	1280GS831212B1	1280GS831212C1
Lower linkage bolts kit	12+13	1280GS831206B1	1280GS831206B1	1280GS831206B1
Rear shock bolts kit	8+12	1280GS831207B1	1280GS831207B1	1280GS831207B1
Pivot bolt kit	11+13	1280GS831208B1	1280GS831208B1	1280GS831208B1

3.14. MY18 Trance JR26




Part	Ref.	MY18 TRANCE JR 26
Rock arm set	6	1280GS834C01A1
Rock Arm bolts kit	8+10+11	1280GS834C03A1
Lower linkage unit	7	1280GS834C04A1
Lower linkage bolts kit	12+13	1280GS834C06A1
Rear shock bolts kit	8+12	1280GS834C07A1
Pivot bolt kit	11+13	1280GS834C08A1

3.15. MY18 Glory 27.5




Part	Ref.	MY18 Glory 1	MY18 Glory 2
Rock arm set	6	1280GS024701J0	1280GS024701H8
Rock Arm bolts kit	8+10+11	1280GS024705C6	1280GS024705C6
Lower linkage unit	7	1280GS024703F6	1280GS024703E8
Lower linkage bolts kit	9+13	1280GS024706C3	1280GS024706C3
Rear shock bolts kit	8+9	1280GS024707C0	1280GS024707C0
Pivot bolt kit	11+13	1280GS024708C8	1280GS024708C8

3.16. MY18 Glory ADV




Part	Ref.	MY18 Glory ADV 0	MY18 Glory ADV 1	MY18 Glory ADV-FR
Rock arm set	6	1280GS021001G8	1280GS021001J9	1280GS021001H6
Rock Arm bolts kit	8+10+11	1280GS024705C6	1280GS024705C6	1280GS024705C6
Lower linkage unit	7	1280GS024703E8	1280GS024703F6	1280GS021003C1
Lower linkage bolts kit	9+13	1280GS024706C3	1280GS024706C3	1280GS024706C3
Rear shock bolts kit	8+9	1280GS024707C0	1280GS024707C0	1280GS024707C0
Pivot bolt kit	11+13	1280GS024708C8	1280GS024708C8	1280GS024708C8

3.17. MY18 Pique 27.5




Part	Ref.	MY18 Pique 2	MY18 Pique 3
Rock arm set	6	1280GS804Z01A1	1280GS804Z01B8
Rock Arm bolts kit	8+10+11	1280GS801B03B0	1280GS801B03B0
Lower linkage unit 14.5	7	1280GS804Z02A7	1280GS804Z02B5
Lower linkage unit 16/18/20	7	1280GS804Z12A3	1280GS804Z12B1
Lower linkage bolts kit	9+13	1280GS804Y04B4	1280GS804Y04B4
Rear shock bolts kit	8+9	1280GS804Y05B1	1280GS804Y05B1
Pivot bolt kit	11+13	1280GS804Y06B9	1280GS804Y06B9

3.18. MY18 Pique SX




Part	Ref.	MY18 Pique SX 1	MY18 Pique SX 2
Rock arm set	6	1280GS805101A0	1280GS805101B9
Rock Arm bolts kit	8+10+11	1280GS801B03B0	1280GS801B03B0
Lower linkage unit 14.5	7	1280GS805102A8	1280GS805102B6
Lower linkage unit 16/18/20	7	1280GS805112A4	1280GS805112B2
Lower linkage bolts kit	9+13	1280GS804Y04B4	1280GS804Y04B4
Rear shock bolts kit	8+9	1280GS804Y05B1	1280GS804Y05B1
Pivot bolt kit	11+13	1280GS804Y06B9	1280GS804Y06B9

3.19. MY18 Pique ADV



Part	Ref.	MY18 Pique ADV 0	MY18 Pique ADV 1	MY18 Pique ADV 2
Rock arm set	6	1280GS801C01A3	1280GS801C01B1	1280GS801C01C1
Rock Arm bolts kit	8+10+11	1280GS801B03B0	1280GS801B03B0	1280GS801B03B0
Lower linkage unit	7	1280GS801C02A0	1280GS801C02B9	1280GS801C02C7
Lower linkage bolts kit	9+13	1280GS804Y04B4	1280GS804Y04B4	1280GS804Y04B4
Rear shock bolts kit	8+9	1280GS804Y05B1	1280GS804Y05B1	1280GS804Y05B1
Pivot bolt kit	11+13	1280GS804Y06B9	1280GS804Y06B9	1280GS804Y06B9

3.20. MY18 FULL E



Ref.	Part	MY18 FULLE+0 PRO F	MY18 FULLE+0 SXPRO F	MY18 FULLE+1 PRO F	MY18 FULLE+1 SXPRO F
3	Rock arm set	1280GM503201D1	1280GM503201C3	1280GM503201E1	1280GM503201F1
8+9+10	Rock Arm bolts kit	1280GM503102A9	1280GM503102A9	1280GM503102A9	1280GM503102A9
4	Lower linkage unit	1280GM503203B1	1280GM503203A1	1280GM503203B1	1280GM503203B1
11+12	Lower linkage bolts kit	1280GM503104A3	1280GM503104A3	1280GM503104A3	1280GM503104A3
8+11	Rear shock bolts kit	1280GM503105A0	1280GM503105A0	1280GM503105A0	1280GM503105A0
9+12	Pivot bolt kit	1280GM503106A8	1280GM503106A8	1280GM503106A8	1280GM503106A8
13	Replace end	1280GS804Y07B6	1280GS804Y07D2	1280GS804Y07B6	1280GS804Y07B6
Ref.	MY18 FULLE+1.5A PRO F	MY18 FULLE+1.5B PRO F	MY18 FULLE+2A S5	MY18 FULLE+2B S5	MY18 FULLE+3 S5
3	1280GM503201B5	1280GM503201G1	1280GM503101F2	1280GM503101G0	1280GM503101H9
8+9+10	1280GM503102A9	1280GM503102A9	1280GM503102A9	1280GM503102A9	1280GM503102A9
4	1280GM503203B1	1280GM503203B1	1280GM503203B1	1280GM503203B1	1280GM503203B1
11+12	1280GM503104A3	1280GM503104A3	1280GM503104A3	1280GM503104A3	1280GM503104A3
8+11	1280GM503105A0	1280GM503105A0	1280GM503105A0	1280GM503105A0	1280GM503105A0
9+12	1280GM503106A8	1280GM503106A8	1280GM503106A8	1280GM503106A8	1280GM503106A8
13	1280GS804Y07B6	1280GS804Y07D2	1280GS804Y07B6	1280GS804Y07B6	1280GS804Y07B6